



MD Ph.D Ph.D MD MD *

Ph.D MD MD MD

 // : // :

SPSS

CCU

/ ± /

BMI
BMI

% /
(p= /)

% /

MI

.(p= /)

*

Email: drsmsadr@yahoo.com



MI

CHD

()

CHD

()

HDL

()

()

%
(BMI > kg/m²)

()

)

BMI

BMI

()

kg/m²)

(BMI < kg/m²)

()

(BMI > = kg/m²)

(BMI: /

()

/

LDL

HDL


()

/ mmHg

()



¹ Framingham

² Chronic Heart Diseases



P.value			
/	/ ± /	/ ± /	/ ± /
/	/ ± /	/ ± /	/ ± /
/	/ ± /	/ ± /	/ ± /

AMI BMI kg/m
MI BMI .(= / * BMI + p= /) .()



⁴ Lopez - Jimenez
³ Eisenstein
⁴ Rana



.() (\pm /) / ± /)
(p= / / ± /)

: .()
BMI (p= /)
. (p= /)

BMI)
QT .() (kg/m
.()
(kg/m) BMI CHD
. ()

BMI (). CHD
CRP

.() BMI (). CHD
BMI BMI

BMI ()
BMI) HDL non-HDL
LDL () (%
HDL .()
BMI .()
FBG VLDL LDL HDL
BMI ()
)

⁶ wolk
⁷ Ghosh

⁵ Pday



.() CHD % /

PCI MI
(kg/m BMI)
() .()

.()
BMI
MI .()

MI .()

.() .()
. ()

.()

.()

.()
BMI

CHD
() BMI) BMI

References:

- 1- Kim KS, Owen WL, Williams D, et al . A Comparison between BMI and Conicity index on predicting coronary heart disease : the Framingham Heart study. **Ann Epidemiol** 2000; 10:424-431.
- 2- Wilson PWF, Agostino RB, Levy D, Agostino Rb, Levy D, et al. Prediction of coronary heart disease using risk factor categories. **Circulation** 1998; 97:1837-1847.
- 3- Rimm EB, Stampfer MJ, Giovannucci E, et al. Body size and fat distribution as predictors of coronary heart disease among middle – aged older us men. **Am J Epidemiol** 1995; 141: 1117 – 1127.
- 4- Pishdad GR. Owerweight and obesity in adults aged 20-74 in southern Iran. **Int. J Obes Relat Metab Disord** 1996; 20:963-5.
- 5- World Health Organization. Obesity: Preventing and managing the global epidemic. Report of a Who consultation on obesity, 3-5 yune 1997, WHO/NUT/NCD/ 98.1. Who; Geneva; 1997.
- 6- Ghassemi H. et al. Food Security in the Islamic Republic of Iran. A country report Tehran , 1996 (unpublished)
- 7- Eckel RH, Krauss RM. (1998) American Heart Association Call to action: Obesity as a major risk factor for coronary artery disease. **Circulation** 1997, 2099-2100.
- 8- Hoit BD, Gilpin EA, Maisel AA, et al .Influence of obesity on morbidity and mortality after acute myocardial infarction. **Am Heart J** 1987 ; 114(6): 1334-41.
- 9- Suwaidi JA, Wright RS, Grill JP, et al. Obesity is associated with Premature occurrence of acute myocardial infarction. **clin cardiol** 2001; 24(8); 542-7.
- 10-Lopez-Jimenez F, Jacobsen SJ, Reeder GS, et al. Prevalence and secular trends of excess body weight and impact on outcomes after myocardial infarction in the community. **Chest** 2004 Apr;125(4):1205-12.
- 11-Eisenstein EL, Shaw LK, Nelson CL, et al. Obesity and Long-term clinical and economic outcomes in coronary artery disease patients. **Obesity Research** 2002;10:83-91.
- 12-Rana JS, Mukamal KJ. Morgan JP, et al.Obesity and the risk of death after acute myocardial infarction. **American Heart Journal** 2004 May;147(5).
- 13-Keys A, Menotti A, Aravanis C, et al. The seven countries study:2289 deaths in 15 years in 15 years. **Prev Med** 1984;13:141-154.
- 14-Mc Gill HC Jr. The Geographic Pathology of Atherosclerosis, 1986.
- 15-Hubert HB, Fenileib M, McNamara PM, et al: Obesity as an independent risk factor for cardiovascular disease: a 26-year follow –up of participants in the Framingham heart study . **Circulation** 1983; 67:968-977.
- 16-Eckel RH, Krauss RM..American Heart Association Call To Action: Obesity as a major risk factor for coronary heart disease: AHA Nutrition committee. **Circulation** 1998; 97:2099-2100.
- 17-MC Gill HC, MC Mahan CA, Herderick EE, et al. Obesity Accelerates the progression of coronary Atherosclerosis in young men. **Circulation** 2002; 105:2712.
- 18-Larsson B, Svardsudd K, Welin L, et al. Abdominal adipose tissue distribution, obesity and risk of cardiovascular disease and death: 13 –year follow up participants in the Study of men born in 1913. **Br Med J** 1984; 288: 1401-1404.
- 19-Stone NJ, Diet, Nutritional issues, and obesity Topol, EJ eds. Comprehensive Cardiovascular Medicine, 45-70 Lippincott- Raven Philadelphia, PA, 1998.
- 20-Frank S, Colliver JA, Frank A, The Electrocardiogram in obesity: Statistical Analysis of 1029 patients. **J Am Coll Cardiol** 1986; 7: 295-299.
- 21-Suwaidi JA, Higano ST, Holmes D, et al, Obesity is independently associated with coronary endothelial dysfunction in patients with normal or mildly diseased coronary arteries. **J Am Coll Cardiol** 2001: 37; 1523-1528.
- 22-Wolk R, Berger P, Lennon RJ, et al, Body mass index, A Risk Factor for Unstable Angina and Myocardial Infarction in Patients with Angiographically Confirmed Coronary Artery Disease. **Circulation** 2003; 108:2206.
- 23-Rabkin SW, Chen Y, Leiter L, et al, Risk Factor Correlates of body mass index. Canadian Heart Health Surveys Research Group. **CMAJ** 1997 ; 157 suppl 1: S26-31.
- 24-Schulte H, Von Eckardstein A, Cullen P, et al, Obesity and cardiovascular risk.**Herz** 2001 ; 26(3):170-7.
- 25-Capuano V, Bambacaro A, D'Arminio T, et al, Correlation between Body Mass Index and Others risk factors for cardiovascular disease in women compared with men. **Monaldi Arch Chest Dis** 2003; 60(4): 295-300.
- 26-Da Cruz IB, Almeida MS, Schwanke CH, et al , Obesity prevalence among oldest-old and its association with risk factors and cardiovascular morbidity. **Rev Assoc Med Bras** 2004 Apr-Jun; 50(2): 172-7.
- 27-Ghosh A, Bose K, Chakravarti S, et al, Centeral Obesity and coronary risk factors. **JR Soc Health** 2004 ; 124(2):86-90.

- 28-Mac Mahon S, Culter J, Brittain E, et al, Obesity and hypertension: epidemiological and clinical issues. **Eur Heart J** 1987; 8(suppl B): 57-70.
- 29-Reaven GM, Lithell H, Landsberg L. Hypertension and associated metabolic abnormalities: the role of insulin resistance and the sympatho-adrenal system. **N Engl J Med** 1996; 334: 374-381.
- 30-Young JB, Landsberg L. Suppression of sympathetic nervous system during fasting. **Science** 1997; 268:1473-1475.
- 31-Young JB, Landsberg L. Stimulation of the sympathetic nervous system during sucrose feeding. **Nature** 1997; 269:615-617.
- 32-Landsberg L. Diet, Obesity and hypertension: an hypothesis involving insulin, the sympathetic nervous system, and adaptive thermogenesis. **Q J Med** 1986; 61: 1081-1090.
- 33-Narkiewicz K, Somers VK, Mos L, et al. An independent relationship between plasma leptin and heart rate in untreated patients with essential hypertension. **J Hypertens** 1999; 17:245-249.
- 34-Campese VM, Romoff MS, Levitan D, et al, Abnormal relationship between sodium intake and sympathetic nervous system activity in salt-sensitive patients with essential hypertension. **Kidney Int** 1982; 21: 371-378.
- 35-Kevin P, John E. Obesity and hypertension: two epidemics or one? **Am J Physiol Regul Integr Comp Physiol** 2004; 286: R803-R813.
- 36-Rosengren A, Wedel H, Wilhelmsen L. Body weight and weight gain during adult life in men in relation to coronary heart disease and mortality. A prospective population study. **Eur heart J**. 1999 Feb; 20(4): 269-77.
- 37-Jousilahti P, Tuomilehto J, Vatiainen E, et al. Body weight, cardiovascular risk factors, and coronary mortality: 15-year follow-up of middle-aged men and women in eastern finland. **Circulation**.1996; 93: 1372-1379.
- 38-Taggart K, Obesity not a risk factor after myocardial infarction. **The Medical Post** 2001; 37(42).