



() **CD₁₄**

MD

Ph.D.

Ph.D.

*

Ph.D.

// :

// :

SID

CD₁₄

()

CD₁₄

(p= /)

CD₁₄

p< /

p= / ()

p< /

CD₁₄

CD₁₄

CD₁₄

()

*



()

()

()

()

()

()

()

()

HTLV1 HIV

CBC

CD₁₄

¹ Leishmanin skin test

()

HTLV₁

CC

/ CC

/ CC

EDTA

CBC

/ CC

EDTA

CC

HTLV-1 HIV

SPSS

CBC

HTLV-1 HIV CBC

χ^2

Archive of SID

BD


IQ Products

CD₁₄

() ()

(p= /)

² Specia



() (p= /) (p= /) (p= /)

() .

() CD14

CD14

()

(p= /)

(p= /)

P - Value	T			
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

CD14

P - Value	T				CD14*
/	/	/	/	/	
/	/	/	/	/	
/	/	/	/	/	

t

P - Value	T			
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

() CD14

CD14

t

P - Value	T	CD14 ⁺		
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

(.)

(.)

(.)

(

(

)

CD14

(.)

LACK

⁵Brandonisio

⁶Murray

³Bottrel

⁴Cervia

()

()

CD₁₄

(GTP)

(ATP)

References:

- 1- World Health Organization (updated 2002): Division of Control of Tropical Diseases. Leishmaniasis control home page: [www. Who. int/health_topics/leishmaniasis. htm](http://www.who.int/health_topics/leishmaniasis.htm).
- 2- Wijeyarne P, Goodman T, Espinal C. Leishmaniasis control strategies. **Parasitol. Today.** 1992; 8:249 – 251.
- 3- Behin R, Mauel J, Sordal B: Leishmania tropica: Pathogenicity and in vitro macrophage function in strain of inbred mice. **Exp Parasitol.** 1979; 48: 81 – 91.
- 4- Handman E, Ceredig R, Mitchell GF. Murine cutaneous leishmaniasis: disease patterns in intact and nude mice of various genotypes and examination of some differences between normal and infected macrophages. **Aust J Exp Med Sci.** 57, 9-30. Virella, G., Goust, J. M. and Fundenberg
- 5- Virella G. Immunological aspect of the host-Parasite relationship. In: Virella G, Goust J M, Fundenberg. **Introduction to medical Immunology.** 1990; 50: 239-257.
- 6- Abbas A K, Lichtman, A et al. Cellular and molecular Immunology. 4th ed. **W. B.Saunders.** 2003 Chapters: (1, 13, 15), PP.8-10, 291-292, 354-362.
- 7- Nicholson J K A. Use of flow cytometry in the evaluation and diagnosis of primary and secondary immunodeficiency diseases. **Arch Pathol Lab Med.** 1989; 113: 598-605.
- 8- Bennett J M, Catovsky D, et al. Proposal for The classification of chronic (mature) B and T lymphoid leukemia. **J Clin. Pathol.** 1989; 42: 507-584.
- 9- Bottrel RL, Dutra WO, Martins FA, et al. Flow Cytometric determination of cellular sources and frequencies of key cytokine-producing lymphocytes directed against recombinant LACK and soluble leishmania antigen in human cutaneous leishmaniasis. **Infect Immun.** 2001; 69: 3232-3239.
- 10- Cervia J S, et al. Effector role of blood monocytes in experimental visceral Leishmaniasis. **Infect Immun.** 1993; 4 (61):1330 – 1333.
- 11- Brandonisio O, et al. Evaluation of polymorphonuclear cell and monocyte function in Leishmania infantum – infected dogs: **Vet Immunol** 1996; 53: 95 – 103.
- 12- Murray H W. Blood monocytes: Differing effector role in experimental visceral versus cutaneous Leishmaniasis. **Parasitol Today** 1994; 10 (6): 220 – 223.
- 13- Brunton L L, et al. Goodman and Gilman's the pharmacological basis of therapeutics, Chapter II, pp: 102-103.