



MD

MD

SGPT SGOT

C, B, A

PT

( )

(.) D A

D

Archive of SID



D

( )

(.)

( )

( )

B E

(.)

PMN

( )

Bridging

(.)

Archive of SID

<sup>1</sup> Ursodiol

### **References:**

- 1- Seymour J, Gagle, R, Heigmeistr FB. Clairiol production in hyper calcemic and normocalcemic patients with non Hodgkin lymphoma. **Ann Intern Med** 1994; 121; 633-40.
- 2- Teli MR, James OF W, Burt – AD, BennetT MK. The Natural History of Non- Alcoholic Fatty Liver: a follow up study. **Hepatology** 1995; 22: 1714 - 9.
- 3- Laupin J, Linoor KD et al. Ursodeoxycholic Acid or Clofibrate in the Treatment of Non – Alcoholic Induced Steatohepatitis. a pilot study. **Hepatology** 1996; 23: 1464- 7.
- 4 – Maclin JB, Graeme – Cook F.M. Non - aleoholic Fatty liver disease. **N. E G. M.** 2002; 345: 16.
- 5 - Schauffner F, Thaler H. Non- Alcoholic Fatty Liver Dis. **Prog Liver Disease** 1986; 8: 253-98.
- 6- Charlton M, Kasparova P, Weston S, et al. Frequency of Non – Alcoholic Steatohepatitis as a Cause of Advanced Liver Dis. **Liver Transpl** 2001; 7: 605-14.

Archive of SID