

alavi1329dr@yahoo.com :

(DOTS)

SPSS 11.5

(DOTS)

WHO 2005; WHO 2002; Dye )  
. (et al. 2005; WHO 2000

(ARI)

Velayati 1994; Alavi and

Sefidgaran 2007; Iranian DCD 2002; Mir  
.Haghani and Nasehi 2002

Iranian DCD) DOTS

.(2002; Mir Haghani and Nasehi 2002

( )

)

(

( )

(

Atun .(Khan et al.2003)

Singleton .(Atun et al.2005)

OTB

.(Singleton et al. 1997)

HTB

DOTS

(HTB) . HIV

% / (OTB) % /

%

% /

HIV

% %

Shulga et al. 1998; ) %

Counsell et al. 1990; Sussaki et al. (2000; Uplekar 2003)

( )

SPSS 11.5

(Fitzgerar et al.2005)

Shulga et al. 1998; Counsell et al. 1990; )

(Sussaki et al 2000; Uplekar et al. 2003)

HIV/AIDS (%) / )

## HIV/AIDS (%) / )

$p \geq 1$

(% / )

% / (Cure)

% /

% /

% /

% /

1%

(

( $p \leq /$ )

%

%

% / (EMRO)

% /

Dye )	% /	(Dye et al. 2005)	%
	(et al. 2005	WHO	
HIV/AIDS			
		%	%
Balabanova .			
Counsell .(Balabanova et al. 2006)			
Counsell )		( )	
	(et al. 1990	)	
	.(% /	% / )	(
	% /		
Dye et al. )	%		% /
			(2005
		( )	
		.(% /	% / )
		% /	
Dye et al. )	%		
			(2005
		%	

	%	%		
			(cured)	
			Treatment failure	
			Defaulted	
			Died	
<i>p.value</i>	OTB	HTB		
	( )	( )		
/	( / )	( / )		
/	( / )	( / )		
/	( / )	( / )		
/	( / )	( / )		
/	( / )	( / )	HIV/AIDS	
/	( / )	( / )		
			( )	
	/ ± /	/ ± /		
	/ ± /	/ ± /	( )	
Pvalue	= $\overline{\text{OTB}}$	= $\overline{\text{HTB}}$		±
				/

<i>p.value</i>	OTB	HTB
	( )	( )
/	( / )	( / )
/	( / )	( / )
/	( / )	( / )
/	( / )	( / )
/	( / )	( / )
/	( / )	( / )

/ Pvalue = (OTB) = (HTB)

## References

- Alavi, S.M. and Sefidgaran GH. 2007. Tuberculin skin reaction in school children in Ahvaz. *Iranian J Infect Dis.*, **38**, pp. 49-53 [In Persian].
- Mir Haghani, L. and Nasehi, M., 2002. National Tuberculosis Program. *CDC, Health Ministry of Iran*, pp.15-16 [In Persian].
- Iranian CDC 2002. Situation of tuberculosis in Iran, pp.46-54 [In Persian].
- Velayati, AA., 1994. Pediatric tuberculosis in Clinical tuberculosis.Tehran, pp.629-703[In Persian].
- Atun, RA., Samyshkin, YA., Drobniowski, F., Kuznetsov, SI., Fedorin, IM. and Coker, RJ., 2005. Social factors influencing hospital utilisation by tuberculosis patients in the Russian Federation: analysis of routinely collected data. *Int J Tuberc Lung Dis.* **9**, pp.1140-1146.
- Balabanova, Y., Drobniowski, F., Fedorin, I., Zakharova, S., Nikolayevskyy, V. and Atun, R., 2006.. The Directly Observed Therapy Short-Course (DOTS) strategy in Samara Oblast, Russian Federation. *Respir Res.* **23**, pp.7-44.
- Counsell, SR., Tan, JS. and Dittus, RS., 1990. Unsuspected pulmonary tuberculosis in a community teaching hospital. *Arch Intern Med.* **150**, pp.1348-1349.
- Dye, C., Watt, CJ., Bleed, DM., Hosseini, SM. and Ravilione, MC., 2005. Evaluation of tuberculosis control and prospects for reducing tuberculosis incidence, prevalence and deaths globally. *JAMA.* **293**, pp. 2767-2775.
- Fitzgerald, D. and Hass, DW., 2005. *Mycobacterium tuberculosis*. In: Mandell, Douglas, and Bennett. Principles and Practice of Infectious Diseases. Sixth ed. Philadelphia: Churchill Livingstone. pp. 2852-2886.
- Khan, J., Malik, A., Hussain, H., Ali, NK., Akbani, F. and Hussain, SJ., 2003. Tuberculosis diagnosis and treatment practices of private physicians in Karachi, Pakistan. *East Mediterr Health J.* **9**, pp.769-775.
- Sussaki, Y., Yamagishi, F., Yagi, T., Yamatani, H., Kuroda, F. and Shoda, H., 2000. A study of patient's and doctor's delay in patients with pulmonary tuberculosis discovered by visiting

- doctors with symptoms in particular on doctor's delay. *Kekkaku*. **75**, pp. 527-532.
- Shul'ga, IA., Znosenko, VA. and Movradin, IM., 1998. Pulmonary tuberculosis: data of general somatic hospital. *Probl Tuberk*. **6**, pp. 4-7.
- Singleton L., Turner M., Haskal R., Etkind S., Tricarico M. and Nardell E., 1997. Long-term hospitalization for tuberculosis control. Experience with a medical-psychosocial inpatient unit. *JAMA*. **278**, pp. 865-867.
- Uplekar M., 2003. Involving private health care providers in delivery of TB care: global strategy. *Tuberculosis* . **83** , pp.156-164.
- WHO., 2005. Global tuberculosis control: surveillance, planning, financing. Geneva: WHO; WHO document WHO/HTM/TB/.349.
- WHO., 2002. An expanded DOTS framework for effective tuberculosis control. Geneva,World Health Organization.
- WHO., 2000.Anti-tuberculosis drug resistance in the world.Report no.2: prevalence and trends. Geneva,World Health Organization.

Archive of SID