



تاریخ دریافت ۱۸/۰۳/۸۳، پذیرش مقاله ۲۴/۰۱/۸۴

RIA

T4 TSH

TSH T4

TSH > mIU/L T4 < / μ g/dl
(T4 < / μ g/dl TSH > mIU/L)

IRMA

(% /)
($X^2 =$ / $p =$ /)
($X^2 =$ / $p =$ /)

E-mail: emrc@mui.ac.ir

(/)

Archive of SID

T4 .()
 () .()
 T4< / g/dl μ .() TSH> MIU/M .()
 TSH
 () .()
 TSH T4 < TSH≤ .()
 TSH≥ MIU/L .()
 T4 TSH .()
 .
 TSH> MIU/L T4 < / μ g/dl .()
 g/kg/dl

TSH
 T4
 FT4I T3RU
 RIA T4 IRMA TSH
)
 (Berthold IB
 / μ g/dl / MIU/L T4 TSH
 TSH T4

Excel EPI
 SPSS
 MIU/L TSH / g/dl μ T4
 TSH .()

Odds Ratio = / p = / χ^2 = /)
(/ / %

.() % /
 (% /) (% /)
) (% /)
 (%) /) (% /)
 ((% /)

) (% /)
. ()((% /)
 (%)

.() (% /)

% /) (% /)
/ ((% /)
 /
. () (% /)
 (% /) (% /)
 ((% /)
 ((% /)

(% /)
 (.
 (%)
 (%)
. () ((% /)

¹ Rosenthal

()

)
(
.()

.()
. ()
CH

%
() /
.() /

.()

.()

()

:

	(% /)	(% /)	(% /)	
	(% /)	(% /)	.(% /)	
	/	/	/	
	X ² = /	X ² = /	X ² = /	p-value

References:

1. Klett M: Epidemiology of congenital hypothyroidism. *Exp Clin Endocrinol Diabetes*, 1997, 105 (suppl4): 19-23.
2. Karamizadeh Z, Amirhakimi GH: Incidence of congenital hypothyroidism in Fars Province, Iran. *Iran J Med Sci*, 1992, 17: 78-80.
3. : : :
4. Rosenthal M, Addison GM, Price DA: Congenital hypothyroidism: increased incidence in Asian Families. *Arch Dis Child*, 1988, 63: 790-3.
5. Hall SK, Hutchesson ACJ, Kirk, JM: Congenital hypothyroidism. Seasonality and consanguinity in the west Midlands, England. *Acta Padiatr*, 1999, 88: 212-5.
6. Leger J, Marinovic D, Garel C, Bonaiti - pellie C, Polak M, Czeornichow P: Thyroid development anomalies in first degree relatives of children with congenital hypothyroidism. *J Clin Endocrinol Metab*, 2002, 87: 575-80.
7. Kaiserman I, Maytal A, Siebner R, Sack J: Effects of immigration on the incidence of congenital hypothyroidism. *Eur J Endocrinol*, 1997, 137: 356-9.
8. Castanet M, Polak M, Bonaiti - Pellie C, Lyonnet S, Czernichow P, Leger J: Nineteen years of national screening for congenital hypothyroidism: familial cases with thyroid dysgenesis suggest the involvement of genetic factors. *J Clin Endocrinol Metab*, 2001, 86: 2009-14.
9. Illicki A, Larson A, Karlsson FA: Circulating thyroid antibodies in congenital hypothyroidism. *Acta Paeiatr Scand*, 1991, 80: 805-811.
10. Fisher DA: Disorders of the thyroid in the newborn and infant. In: Sperling MA Ed, *Pediatric Endocrinology*. 1st Ed, Philadelphia, B Saunders Company, 1996: 51-70.
11. Baloch Z, Carayon P, Conte-devolx B, Demers LM, Feldt-Rasmussen U, Henry JF, et al: Laboratory support for the diagnosis and monitoring of thyroid disease. *Thyroid*, 2003, 13: 3-126.
12. Frank JE, Faix JE, Hermos RJ, Mullaney DM, Rojan DA, Mitchell ML, et al: Low birth weight infant: effects on neonatal screening. *J Pediatr*, 1996, 128: 548-54.
13. Hung W: Thyroid disorders of infancy and childhood In: Becker KH, editors. *Principles and Practice of Endocrinology and Metabolism*. 3rd Ed, Philadelphia, Lippincott Williams & Wilkins, 2001: 4630-71.
14. Klein RZ, Mitchell MH: Hypothyroidism in infants and children. In: Braverman LE, Utiger RD: *The Thyroid*. 8th Ed, Philadelphia, Lippincott Williams & Wilkins, 2000: 973-88.
15. Lakhani M, Khurshid M, Naqvi SH, Akbar M: Neonatal screening for congenital hypothyroidism in Pakistan. *J Pak Med Assoc*, 1989, 39: 282-4.
16. Henry G, Sobki S H, Othman J M: Screening for congenital hypothyroidism. *Saundi Med J*, 2002, 23: 529-535.
17. Sack J, Feldman I, Kaiserman I: Congenital hypothyroidism screening in the West Bank: a test case for screening in developing regions. *Horm Res*, 1998, 50: 151-4.
18. : : :
19. Kuliev AM, Modell B: Social and genetic implications of customary consanguineous marriage among British Pakistanis. The Galton Institute, 19 Northfields Prospect, Northfields, London SW18 1PE, 1992. (Galton Institute Occasional Papers, Second Series, No 4).
20. Castanet M, Iyonnet S, Bonaiti-Pellie C, Polak M, Czernickow P, Leger J: Familial forms of thyroid dysgenesis among infants with congenital hypothyroidism. *N Engl J Med*, 2000, 343: 441-442.