


*



[]

¹G6PD

([])

mg/dl

mg/dl

mg/dl

[]

[]

[]

[]

)

(

¹Glucose-6-phosphate dehydrogenase

[]

Asbru

[]

%

[]

[]

²ETCO

[]

" "

ETCO - ⁴(TSB) "

"

()

()

م

بیلیروبین


(

)

(TSB)

Rh

G6PD



[]

" "

²End Tidal Carbon Monoxide (CO)

³Heme

⁴Total Serum Bilirubin

()

Rh

TSB

/

G6PD

(%)

(CC)

(SE)

$$CC\% = \frac{TP + TN}{TP + TN + FP + FN} \quad ()$$

$$SE\% = \frac{TP}{TP + FN} \quad ()$$

TN

TP

FP

FN

()

%

(%)	(%)	(%)	(%)	
				TSB
				G6PD
				/

[]

()

(mg/dl) (mg/dl) (mg/dl)

≤	≤	≤	≥
≤	≤	≤	
≤	≤	≤	<

% %	(mg/dl) ≤	
% %	(mg/dl) ≤	
% %	%	
% %	%	

[]

(%)	(%)	(%)	(%)	
				/

()

G6PD

%

%

- [2] Bhutani VK, Gourley GR, Saul A, Bili K, Chris D, Lois H; Noninvasive measurement of total serum bilirubin in a multiracial predischarge newborn population to assess the risk of severe hyperbilirubinemia; Pediatrics 2000; 106.
- [3] Fanaroff AA, Martin RG, Neonatal Jaundice and Liver Disease 2002, 7th Edit; 1343–1439.
- [4] http://truespectra.fullerton.edu:60/?TSimg=/tszoom/ts_examples/zoommx_gen.html.
- [5] http://www.ifs.tuwien.ac.at/~silvia/pub/publications/se_y_medinfo2001.pdf.
- [6] American Academy of Pediatrics, Practice parameter: Management of hyperbilirubinemia in the healthy term newborn; Pediatrics 1994, 94: 558–565.
- [7] Bottini M, Meloni GF, Gloria-Bottini, F; Seasonal Pattern of Phototherapy: A study in the sardinian population; Biological Rhythm Research 2003, 34(1): 13–21.
- [8] Stevenson DK, Fanaroff AA, Maisels MJ, Young BWY, Wong RJ, Vreman HJ, MacMahon JR, Yeung CY, Seidman DS, Gale R, Oh W, Bhutani VK, Johnson LH, Kaplan M, Hammerman C, Nakamura H, Prediction of Hyperbilirubinemia in Near-Term and Term Infants; Pediatrics 2001;108.

[]

stateflow

- [1] Behrman RE, Kliegman, RM, Jenson HB; Jaundice and Hyperbilirubinemia in the Newborn, 16th Edit, Textbook of Pediatrics 2000; 513–519.