//:)

www.SID.ir

() () HIV () HIV () HIV (). /

www.SID.ir

) /

www.SID.ir

() () () .(() ((())) (/) () () (/) (/) () () (/) () / () ((()))) (() () () (/) (/) (/) (/) (/) () (/) (/) (/) () (/) (/) () () () () () () ()

/

/

Carey () (). Cournos (). () (). () Carey /) (

www.SID.ir

/

().		HIV			
			<u>.</u>		
	Pinkerton	HIV		.()
				HIV	
) (
	·		. ()	Anthony	

Epidemiology of psychological disorders in Northern Khorasan Province. The Journal of Asrar; 2004. 11(1): 6-15.

- 3- Reus V. Harrison's principles of Internal Medicine: Psychiatric Disorders. 16th ed. New York: McGraw-Hill; 2005. p.2547.
- 4- World Health Organization. WHO Definition of Reproductive Health. 1998. [about 2 p]. Available from: http:// www. who.int/reproductiv-health/progress/45/prpg 45. Accessed: December 14, 2003.
- 5- Pinkerton SD, Johnson-Masotti AP, Otto-Salaj LL, Stevenson LY, Hoffmann RG. Cost-Effectiveness of an HIV Prevention internention for Mentally Ill Adults. Ment Health Serv Res; 2001. 3(1): 45-55.
- 6- Carey MP, Carey KB, Weinhardt LS, Gordon CM. Behavioral Risk for HIV Infection Among Adults with a Severe and Persistent Mental Illness: Patterns and Psychological Antecedents. Commu Ment Health J; 1997. 33(2): 133-142.
- 7- Eskandari F, Afshar-Moghaddam F. HIV-related risk behaviors among patients admitted to psychiatric wards of Tehran educational hospitals. 12th Congress on tropical and infectious diseases in Iran; 2003; Isfahan, Iran. P. 7.
- 8- Cournos F, Guido JR, Coomaraswamy S, Meyerbahlburg H, Sugden R, Horwath E. Sexual Activity and Risk of HIV Infection Among Patients With Schizophrenia. Am J Psychiatr; 1994. 151: 228-32.
- 9- Anthony S, Fauci H, Clifford L. Human Immuno Deficiency Virus (HIV) Disease: Aids and Related Disorders. Harrison's principles of Internal Medicine. 16th ed. New York: McGraw-Hil; 2005. p. 1076-1079.

- 1- Carson VB. Mental Health Nursing: The Nurse Patient Journey. 2nd ed. Philadelphia: Saunders; 2000. p.635-650.
- 2- Mohammadi MR, Bagheri-Yazdi SA, Rahgozar M, Mesgarpour B, Rezayi-Ansari AA, Haghdadi, et al.

Sexual Health Status among Mentally Ill Women

L. Khadem¹ MSc, T. Ganji² MSc, S. Shakarabi³ MSc, H. Haghani⁴ MSc

Abstract:

Introduction and Aim: Sexual health of mentally ill women is of great importance due to personal and common health issues (both physically and mentally) mentally ill women faced to. The main purpose of the present study was to describe sexual health status among mentally ill women admitted to Razi psychiatric hospital, Tehran, during the years 2001-2003.

Materials and Methods: This was a descriptive study with a sample of 580 adult mentally ill women with positive history of admission in psychiatric hospital. The researchers reviewed hospital charts of the participants and completed data sheets.

Results: 28.7% of participants had multiple sexual partner, 3.4% had exchanged sex for money, goods or a place for living. Also, 6.7% had a history of rape and 5.3% of them had a positive history of homosexuality. 33% of the participants had at least one sexual risk factor for transmission of infectious diseases such as HIV.

Conclusion: Considering high percentage of sexual risk factors associated with transmission of infections such as HIV among mentally ill women, health managers should pay particular attention for improvement of mentally ill women's sexual health care. The study of barriers to sexual health care in this population is suggested.

Key words: Women_Sex_ Patients_ Mental Health_ Sexual Health.

Accepted for Publication: 6 October 2007

Lecturer, School of Nursing and Midwifery, Iran University of Medical Sciences and Health Services, Tehran, Iran (Corresponding Author). E-mail: khademleila@yahoo.com.

² Senior Lecturer, School of Nursing and Midwifery, Iran University of Medical Sciences and Health Services.

³ Senior Lecturer, School of Nursing and Midwifery, Iran University of Medical Sciences and Health

⁴ Senior Lecturer, School of Management and Medical Information, Iran University of Medical Sciences and Health Services.