I...

holakoik@hotmail.com (Noise-induced hearing loss-NIHL) .()

www.SID.ir


)				
: (noise induced l	nearing loss			,
			1	
		.( )	п	II
.( )	)			
		( ).		
(Historic	al Cohort)			
			.( )	
		( )	1	
Circus,	N 60651 Trans 2	,		•
Sound Level Meter, BSE	N 60651, Type 2			1
		.( ) ( )		
		.( ) ( )		
466				
	(Exposed)	.( )		
)				
. (				
	(Unexposed)			

*l*...

```
/ ± /
                      / ± /
                               / ± / )
                         (
                               / ± / )
                       .(p< / )
           / ± / )
               / ± /
                                            Noise induced
                                                              High tone loss (HTL)
                                 .(
                                                                hearing loss (NIHL)
)
                                            (Censoring)
    (
         )
          .(p< / )
                                                 (Pure Tone Audiometry)
 ) /
 / :%
                                                            SPSS 11.5
                                 ( /
                         / :%
                                            log
                         log rank
  p< /
                                                                               rank
```

www.SID.ir

) (. .( ,



10. Bogoch IsaacI. percepion about hearing protection and noise induced hearing loss of attendis of Rock concert. Canadian Jurnal of public health 2005;no96:69.
 lHearing loss and . Challinor K ,.LePage E ,., Murray N., Purdy S.W 11- Williams perceptions of noise in the workplace among rural Australians. *Aust. J. Rural Health* (2004) 12, 115–119.