

رابطه خودکشی با ویژگی‌های شخصیتی و رویدادهای زندگی

Relationship of suicide with personality characteristics and life events

تاریخ پذیرش: ۱۶/۲/۸۸

تاریخ دریافت: ۲۶/۹/۸۷

Akbari Zardkhaneh S. MSc[✉], Jafari S. MSc,
Dowlatshahi B. PhD, Mamaghaneh M. MSc

سعید اکبری زردهخانه^۱، سالار جعفری^۲
بهروز دولتشاهی^۱، مریم ممقانیه^۳

Abstract

Introduction: Current study conducted to identify personality characteristics and negative events as prediction factors of suicide attempting.

Method: This descriptive-correlating study performed on totally 148 people included 74 male and female suicide attempters and 74 male and female non-attempters that matched with attempters. Used Instruments for collecting data were Millon Multi-axial personality inventory-II (MCMI-II) and researcher-made negative life events checklist.

Results: Maladjustment personality patterns such as borderline, antisocial, narcissistic, passive-aggressive, anxiety and depressive disorders were more prevalent among suicide attempters than non-attempters. Also, suicide attempters experienced negative events more than non-attempters.

Conclusion: Among psychological disorders, anxious, narcissistic and antisocial and among negative life events, sever conflict with family and blame experience have the highest power to predict suicide attempt.

Keywords: Personality Characteristics, Negative Life Events, Suicide Attempting

چکیده

مقدمه: این مطالعه با هدف شناسایی عوامل شخصیتی و رویدادهای پیش‌بینی کننده اقدام به خودکشی انجام شد.

روش: این مطالعه توصیفی- همبستگی روی مجموعاً ۱۴۸ نفر انجام شد که شامل ۷۴ مرد و زن اقدام کرده به خودکشی و ۷۴ مرد و زن همتا و اقدام نکرده بودند. برای جمع‌آوری اطلاعات از پرسشنامه شخصیتی چندمحوری میلیون^۱ و چک‌لیست رویدادهای منفی زندگی استفاده شد.

یافته‌ها: از بین الگوهای ناسازگار شخصیتی، اختلالات شخصیتی مرزی، ضداجتماعی، خودشیفته، منفعل و آزارگر، اضطرابی و افسردگی در میان افراد اقدام کرده بیش از گروه اقدام نکرده مشاهده شد. در ضمن اقدام کرده‌گان تجارب منفی بیشتری را در زندگی تجربه کرده بودند.

نتیجه‌گیری: از بین اختلالات روانی، اختلالات شخصیتی اضطرابی، خودشیفته و ضداجتماعی و از بین رخدادهای منفی زندگی، درگیری شدید با خانواده و سرزنش و تحقیر، دارای بیشترین توان پیش‌بینی اقدام به خودکشی هستند.

کلیدواژه‌ها: ویژگی‌های شخصیتی، رویدادهای منفی، اقدام به خودکشی

[✉]Corresponding Author: Faculty of Psychology, Tehran University, Tehran, Iran
Email: akbari76ir@yahoo.com

^۱ دانشکده روان‌شناسی، دانشگاه تهران، تهران، ایران
^۲ گروه روان‌شناسی، دانشگاه علوم پزشکی و توانبخشی، تهران، ایران
^۳ دانشکده روان‌شناسی، دانشگاه شهید بهشتی، تهران، ایران

+ & I s &U %_ &a +
 G"G6% (0 B/ v &2 M 3
 &) * &U 22 Z 2 & M) s2 &) * + , -" (! "#\$% &
 , e 3 Z "e" L + 2 g Z 2 0 2Z U / 4 56 7 2+ / 1' 3 / 0 1
 (Sg 9w 5 + G B/ (j3 S%) + "M (v g +A, 2 2 3 " + @ ?>9 :; <; 8
 _ ' V 2 (0 I + &) + x \$% (" #:%" @ 9 0" + < AC %B 9 0" +
 (" (Z 2 y 2+ "(0 I + E, & F D' (E <>D %B
 + M 2 2 (0 I + , (Z 2 y H ' I+ 2 + 7 *+, -" G" * + , +
 >>*=fY=XB / Z I & "\$:+ E & M N 33+KL
 3 MK + (& M) s2 \$I az"3 o &U w s2E & 3
 g& 12E #52 "3 0" \$"% + M 2 3 + + MQR/ SF 3 + 2 + P" E ("QR/ 3MK +
 ' V2 & ({I & !2 * & \$I a - , YK F 53 T#% U ' 3+KL + V2 W 6I &
 9 , F & (SF M 2 3 + "QR/ _ "QR/ 3< &U Z , 2 \ R 3J3+KL
 3& 2' ; g r M 2 % ' T#% % "N Q F 53 Z FFF"J" L 9 0 1
 & | L L :; J3+KL (H 0 /" &2 "!" L & # & &2 !/ L+ / 2 1M 2 B23
 W 6I 2Z U &) * &U] } E _ * 3 Z FFF"J" L F 53 "QR/ <
 ! ' M 2 SF3 + & s% #QR/ 3MK + C#a* + + #a* b M `5 G\ _ =^
 M 2 SF 4 s% + 2 + _ E + ~ F 53 + S 0 1 (d Q ' T#% _ + "2 +-"
 ~FFU JFL U &) * F2 % \$I a 0"Fe 3 A=>= F 53 ' T#% 2 +
 a J - ' ' a: 3< & Z , 2 S \ R Y , 3 + O =B=(D 2 &a'
 +P Z "/i"; + "F' 7 2 d 3 V2 :6R%G , fF & f' >= f6 _ f JG2 ' f' & \$I a
 &2 2 + & !5# 3 q S" N % 7 2 Z 3 < & FF Z / (f &) f* Z FFF"J" L
 Z X g & c / `) % 9 / :; J3+KL F\$ g & M 5 + d Q h + "QR/
 Z U &) *) 1Z , 1/ =AXB <+ F 53 &) * Z FFF"J" L
 0 2Z 9" % Z 2+ L 2 , f" + 2 + _ ' T#% i; # , F & j3 d Q
 D^ %X0" 0 + 0 / 2 + , 2 9* ; T 3+KL " (U 3 Z "/ , F & j3 +
 Z+ M , Fc, & AG+ AX S2E9U F 53 < ' *+ ZK + & d Q h & M * '
 & &U / & 12E + c4JR 2&) * J E F"J" L / Z 3"QR/ _ + G\ _
 3 + & G Z+ M , F & 2E2F3 | L , 3 E =O^ Y &2 MU 3 * 3 Z FFU
 Z+ Mc2 96 + 93 % \$" :+ (0 ("5F H` ' 0" (3+KL " + F, + 2 F\P3& V2 k' a
 J3+K10 3 - F M * & \$I a + 4 R 2 (J E n # % F% + _ ZK + & _ + SF I ;
 } F% # 0 - "2 SF I ; + n # % + !F% !F%
(Millon Clinical & I" 6 Ft "QR/ & 2 L &
 H ' +, I" •%T %Multiaxial Inventory II)
 ' & 2 L 0 / & q 2 + q 5 & V2 / M (F j 5" o F' & B
 + "q' 3 | L ' S" N % Z % B 2 "M "r % 6% + 2 + < \$% + *+ q # * +
 & "QR/ , !2 2 & Z+ M & & W "G Z > P# & 2 & - 2 2 + + _ 5 0 + Z *
 2M * F" I ' , !2 2 & + "QR/ & 2 M " 3 !I =C / & 2 M 3 + & 9 %
 & # H "G B (Z F F U % 9 o 9 / 0" Fe 3 P" E I ; & U 2n # F 0" F t % 7 s (0 ' F
 Z F 53 - 2 (X | L 3 J M JsF H "G + + Z # 2 P F & \ G F 2 % ' - 1 s & U M 2
 (2 (! 5 + (' F "w & } F% # H "G & 2 P% F / & f" 2 u f "QR/ f & M +

Archive of SID

% !#\$

Z+ M 2 ! \$2 & ! 5' ++ Z 5 3 "... 1F%(& # q + (!/ L(: (& S"/ (M E
 Z) * Z+ M "Z*2 2 (' a: "w 2 L(<• %+-" (9\$SF !/ L
 P : 9 I & ! 5' ++ # R%#a*+ M 5 (9 /
 0! 3 2 L , " + XDF" I ", "\$ L
 >A 1M& (2 "\$ Z E & G Y
 2+ 2 5 3 P >^, e U < Z S
 +E & X D

SF 3 + JsF } M 2 SF 3 + 5"bt &
 SF -B^' ' & kG6 5"bt -"2 M 2
 3 + H "G F# ' ' - 3 A Z S (M 2
 + 3+KL " ' + B&3+- I3 D9 "L M 2
 2 ' !2 L & GaF !F3 ' "r % 6%&& %
 5"lot 0 M 0 + % (2 / p + B#; Q k g +
 (J2 (Z 2 ' / "M 9 / =>Z 2 "M '
 (" (G 5 / (2 1% (I 5 / ("G6%
 + \Q6% 5 / (- @ (G (3+ E & ' U 2
 f6 f + +E 'f 1(Z+f & f' ' F , f/
 + Z + "% S2 „FL " 0 (5@t
 , 2 , V2 ' & U M * F" I '/, F
 / 6 +

"2 # G% & U, 2 = <+ S"N % &
 0"Fe 3F3 9" % , 2 ! "2 +, 2 E
 C D < > A^ F Z+ MJ E Z M 0 "
 Z+ M D / JR' Y>' < A^ + 2 *
 93 ?DQ s ?Y(Z+ M 0 F3 9" %
 + j• Z+ M U U & ') * 0 F 53
 "Q6% 125TG + 2 * Xj•
 (M F F U " -"2 \.../ V 2 3 9" % 3 ! 2
 (906% 2 * & 2 , 2 Z+ M + "Z+ M
 U & Z F F * , F 0"!2 " & U U + 5 '
 < > A D, 2 + D
 Z+ M o" S% \& 3H "G \$" d 62 + 0"!2 "
 Z+ M & 3 2 <+ 0 Z / Z , 2 > <+
 >, \", E 3H "G &" U & Z) U *
 & % _ ' G"!2 " Z 2 * Z+ M ' & 5 G
 G Z+ M 0 , ' " Z F 3 2
 P : + A ; 9"!6% . R % p % ZK + u & U , 2 9"!6% + S Z+ M + H 3 G + 2 d 62
 V JR' (9N ; p % 0 ' F Y^, E "F' ! 5# 3
 2 0"!#% < ' 2 + f & Z f 2 * Z M " &) *

."R % p' % H 3G ! 5# 3 P :
 \$A " F 2 5 3
 \$= \$ & J2&
 A> > <?
 A> \$@ & 2
 A> <%& B
 A> +1>* I A ? B
 A> DF G <?
 A> 9> . ?&
 A> D &3E A ? B
 A> \$= %
 A> \$% L . ?&
 A= I3
 A^ & \$A &
 A\$ \$ * &
 A\$ \$"J7
 A\$ \$- -& \$D &
 A= H : 9-&
 A^ +9 \$%
 A\$ +9K& \$A &
 A> < &
 A\$: 9-&
 A\$ \$-&<-

+ - % +JF", '(; ; & \$I a ! d 3 & U s2E
 SF 3 + 2 H ' U & Z & * +Z) U Z+ M
 9#* & #IZ S o" 5sI , " M 9"\6% ({IM 2
 U &) * {LF"J" L , ' 1 (9"\6% 0) s2
 , E , 2 + M Z S I + , E 3 SF 2 + H '
 , / + \Q6% 5 / 3 + , -" 1F% & 3 2
 0 , % 0 ' F' F 5" 2 F\$ &) * F J" L F
 ' o" 5sI , " M 9"\6%) s2 d{; 12 9"\6% 3
 U &) * Z / F J" L ' 2 + 0" "\$% +* Z 23 +
 ' 2 #O C 60 "#% w 2 % 7 s 3 + 0 & U
 " 3 & , ' L 1 \$ & ; F 53 U &) *
 #52 G (U &) * JF" 9"\6% Z 2 3 +
 & wD<+ , E , 2 & U M * ' f 3 + %'
 Z /
 Z 2 ' / " M + J2 & U3 , 2 D<+
 + I+ 0 %_ ' B G Y" M P : ' P" %&%
 Y= X D " M P : ' P" %&% G + "
 F 53 U &) * F J" L w 2 % I+ 0 % w L
 P" %&% Z 2 ' / " M + J2 % ' #52
 B Y & > P" % & G f "+=> O A Y Y D

S" N % & & N 4
 & \$I a Z+ M, + " o , E 3 H " G
 9% 6& 7& 8 6& 7&
 d 6; 0"!2 " d 6; 0"!2 " 5 3
 \$" \$"
 \$A O Y X =^P C=Y O : ; -&
 =Y> O B X =B> D X> G C \$ * &
 =Q> O B C =A Q B C=A O < &
 ==X O B X =^Y> C Y O \$= %
 =A Y O X A =C A O Y=B > <?
 ==Y O C =D D X X A F X \$@ & 2
 => X O C > =C F X X C A F D & C A ? B
 > A B O B > G F ^ O X O \$- & <-
 => S O G = > B A Y = Y +1> * C A ? B
 =O B O P = O B A Y = A O DF G <?
 =D C O G > =O F = C D D H : ; -&
 =Y A O D >> f Y X Y I3
 C O F = > f B X = X O <% &
 > O C D C D = D Y X D D \$ & J2
 ==X O A = D A O Y C +; \$%
 =O B B D F > = X F B C A D X \$" J7
 =O B B D F > = X F B X A G X \$ <? &
 =B S B O D P O A F A +; K & \$A {
 =D Y B Q = B Q = C D F C & \$A &
 =f B Q = D B C D X ; > . ? &
 =O P B Q = = G C O X G A \$- -& \$D &
 P B Y C == Y A C > = \$% L . ?

+ 0 0" - % H " G b 3 " 3 0" "\$% VF & &
 0 & U M + E ' Q" R % p' % ' 125# 3b(Z3 M
 Z / & w A <+ G
 < (" QR/ _ 0" & U3 , 2 A <+
 + P : 0 % ' : + & S/ (' a: " QR/
 0 % w L + " w + - (& ' 5 + _ + ! 5# 3
 & U F \$ 0 & & 0 F 53 " QR % p' % ' ! 5# 3 P :
 0 " : + & S/ (' a: " QR/ < &
 F 53 U &) * F J" L ' , %
 ! , " & + Q" R % p' % \ ! 2 ! t ' 1 (12
 & I \$ & L 2 3 E F & G # g 6 N , -" + #52' + E
 &) * + &) * F Z + M 9 N ; , 2 (Q" R %
 p' % U , 2 + E ' 0 M + E ' & \$I a & 2 2
 + • 6 N & 2 M & 2 3 E Y > & 52 % 9 N ; . R %
 2 , " , % & S" 2 3 * &) * +) * B G
 & * (; J3 + K L & \$I a " QR/ + 2 + 3 " ... &
 F 53 Z + M + 0 %

3& ' &U><==C Z / Z / U < ; J3 U
 'F3 3 -"2 : ;J3+KL
 + "QR/ _ % &U , 2 J3+KL 0 0;"F@23
 &' * "w+-" + + (& 5QR/< F‡ & 2 +
 < "Q 3 & 0 F 53 U &') * JFL
 &U w s2E G'a Y, 3 +0 &\$!a '("QR/
 < FU + s33 #r) t "QR/< & # , "
) & , % 0 I ; 9"! { (F 53, \$3"3 +[g
 + 2 s"3 < FU)Z* U 0"w L w 2 % & 9*2;% +
 < #52 0 Sg L) +
 &\$!a 9N ;,, 2 (# R%&/ L(: "QR/
 5 3 X, 3 +,+ *C, 3 +2' \$!a ':;
 2 & U G% & , -% 0 I ; 9"!
 & d a\$ &U 2 4 5F !/ L
 Z 5 + ' a: #QR/< "Q :; J3+KL,, 2
 +=B, 3 + ' 2 *C=>, 3 +2' \$!a '
 < & n' , 2 0"Fe 3 + & / G@ + _ + F//
 -"2Y, 3 +0 +^, 3 + e '9 I + d Q
 &"U # G% &U 3 U &\ M5 3
 3 \$"] & 5 ' JG2U & n' 3 J3+KL
 (" 2 , G (" 2 ({I , G , t w (M 5Q"R %
 & ;) U 3 &U jt & / ' H 5; + Z FM H 5;
 12E & s F4' U & 9 % ' \I F2 %F%
 "Q J3+KL 0 FU ' ' Ft < ; 0(M 5 <
 0" d Q &U 3, 2 d Q h + U 0"n #%

(J E Z+M + +F\$ + S% &5 G +, ZE M
 -"2 ! 33+KL &U F3, 2 "" d Q h
 =^ Y Z / Z 3
 + & S"/ (' a: "QR/ _ &U , 2 J3+KL &
 "QR/ < + F"J" L * 0 %_ P% % :
 F"J" L * 0 U (9 I d Q + 2 5 + < • %+-"
 F' I+ "3 ' & 2F 53 ' U &') *
 3< (7 s &U 0 U &') * r 9
 " " 3 ! 2 + 3 & #52 "QR/
] " w 2 % % L + "QR/(0 3' F' F 53
 F 53 ' F"J" L
 & ') * Z+M JEI&U & : ; J3+KL | I7(s
 ~ " 2 " SF 4 Z%& *Z+M '&5 G U
 ' " + M 2 3M "Q , 2 0 #‡
 # & 5 3 B F56 +X, 3 +2' 3 J3+KL
 ("M , t % U & Z U* Z 2 !
 & &U Z 2 & #52 " + / 2 : \$% (v g

"M (J2 7 *+ < ; &U F\$ 0 &&3 0
 U &') * Z+M P%" % & G 2 ' " (Z
 Z 2) * Z+M ' D Y & >=O A(Y)D

| U &') | * F"J" L 3 + < ; M |
|------------------------------|--------------------|
|)" % NJ- I & O*1 | F 2 B |
| =>(^y^= >J B: | &<% ? I D |
| AjYI ^y^= AjO | P%3 - |
| =ljYI ^y^= >jC | 0 |
| CjD: ^y^= =jX! \$K); | |
| CjD: ^y^= =jX! \$- < %) Q | |
| AjBI ^y^= =>(\$ =@); | |
| >jA: ^y^= (^jX! I ; | |
| >jC ^y^= =j> 3 E \$ - \$ R % | |
| >jD ^y^= =jY: | |
| CjB ^y^= =jX! ::@ S | |

& ') * F"J" L \ !2 !t , 2 .R 1 (12
 F'Z+M 9N ;,, 2 (M 2 SF 3 + HU '
 3 + 0&U , 2 +E '0 M +E '(&\$!a &2 2
 + Z) * &G#g + JG2M & 2 3E YG F2 %
 (:; J3+KL ! # &B * & Z 2 *
 + Z) * - % ' # F , % &\$!a 3
 F 53 ' & Z 2 *

T0
 2 +q "QR/ 9 F/+ ' d 3 ' :; J3+KL
 9 0 &5 G + U &') * ZJFEUa"6 +
 :; J3+KL {L) s2 Z) 2* + Z) U Z+M +
 F/ & &U 3+KL 0"l+ (H \ J33KL 0"
 & L U &') * r "QR/ 9
 3 J3+KL U ' T% 3 U , 10 &
 0 % a L3 0 =C & M * ' "5'
 Z 2 u -M 2 0" F U &') * ' M 2 3
 Z Y * CB+; 5 3 J3+KL Q 3& ' &U
 &U F\$ 0& & 02 * < >A^ F Z + 6
 7+ / (! L 7 *+ < ; &U g # % 9"! & 22 %
 9 (Sg 9w 5 + 9G 5 M 2 &d Qh(
 / ' U a
 "! L r 9 , F & 93(%F/ , + "
 (2 + " , 1M E 0" "\$% / & F/ 2 + _
 :; J3+KL Z >O M 4 56 JR' " 9 93 %
 "Q6% JG2 ' - Z3 KL ' 0 ' 5 3 -"2

- 4- Andressen PL, Trio JA, Prce AW. Additive impact of childhood emotional physical and sexual abuse on suicide attempts among low-income African-American women. *Suicide and Life-Threatening Behavior*. 2002;32(2):83-88.
- 5- Rutter M, O'Connor T, Meltzer H, et al. The long-term effects of child abuse and neglect on health and social outcomes in men. *Archives of Disease in Childhood*. 2000;83(1):11-17.
- 6- Brown J, Cohen P, Johnson JG, Smailes EM. Neglect Specificity and effects on adolescent and youngadult depression and suicidal. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2002;38:1490-6.
- 7- Yen S, Maria E, Pagano M, Tracie S, Carlos M. Life events preceding suicide attempts in a personality disorder sample: Findings from the collaborative longitudinal personality disorders study. *Journal of Consulting and Clinical Psychology*. 2005;87:153-202.
- 8- Richard A, Grucza T, Thomas R, Przybeck C, Doherty R. Personality as a mediator of demographic risk factors for suicide attempts in a community sample. *Comprehensive Psychiatry*. 2005;46:214-22.
- 9- Fawcett J, Scheftner WA. Time related predictors of suicide in major affective disorder. *American Journal of Psychiatry*. 1990;147:1189-94.
- 10- Brent DA. Familial risk factor for adolescent suicide: A case-control study. *Acta Psychiatrica Scandinavica*. 1995;89:52-8.
- 11- Leo S, Maria A, Oquendo J, Mann J. Risks of suicide in mood disorders. *Clinical Neuroscience Research*. 2005;1:337-44.
- 12- Allgulander K, Lavori M. Psychiatric aspects of suicidal behavior anxiety disorder the hand book of suicide attempted. *Suicide Chic Ester Center*. 2000;1108-8.
- 13- Mannuzza K. Panic disorder and suicide attempt. *Journal of Anxiety Disorder*. 1992;6:261-74.
- 14- Welch D. Risk factors for suicide attempts in a community sample. 2001. Available from: <http://www.Scencedirect.com>.
- 15- Brent DA, Perper JA, Moritz G, Baugher M, Rohrbaugh L, et al. Stressful life events, psychopathology, and adolescent suicide: A case control study. *Suicide and Life-Threatening Behavior*. 1992;23:179-87.
- 16- Eddleston M, Rezvi-sheriff MH, Hawton K. Deliberate self harm in Sri Lanka: An overlooked tragedy in the developing world. *British Medical Journal*. 1998;317:33-5.
- 17- Fawcett J, Scheftner WA. Risk factors for adolescent suicide: A case-control study. *Acta Psychiatrica Scandinavica*. 1995;89:52-8.
- 18- Brent DA, Perper JA, Moritz G, Baugher M, Rohrbaugh L, et al. Stressful life events, psychopathology, and adolescent suicide: A case control study. *Suicide and Life-Threatening Behavior*. 1992;23:179-87.
- 19- Eddleston M, Rezvi-sheriff MH, Hawton K. Deliberate self harm in Sri Lanka: An overlooked tragedy in the developing world. *British Medical Journal*. 1998;317:33-5.
- 20- Goldberg D, Rabin M. Adolescent suicide and family violence: An ecological approach. *Adolescence Journal of the American Academy of Child and Adolescent Psychiatry*. 2000;28(110):291-308.
- 21- Conner KR, Duberstein PR, Conwell Y, Seidlitz D, Daine ED. Psychological vulnerability to completed suicide: A review of empirical studies. *Suicide and Life-Threatening Behavior*. 2001;31(4):353-85.

' &a' : ; J3+KL &3 " (Z 2) * U
 &=C \$I a 3& ' Sg 9w 5 + G 5 &
 I 3 5 / + G &F" : ; &I a , 2 !F3 3>>
 ,E =Y, 5/ +B F56 \$I a 3& -"2
 ! " 5' &F"-2G (j"G 5 r ' Z+ &U
 kG6%) + 3-' +) (* 9w 5 (M 2 F2 3
 & U &') * 5' 2 % QR/ 3+ E
 / & M V2 \I , F
 (U &') * r P" E 4 s% Fl+ i6'
 0 " "G6% + J2 + Z 2 ' / &UM/ .R
 &') * B" L " 3 0 U \Q6% 53/ + " 3
 U &') * + J2 + "G6% 0" F56% ' U
 + "G6% "r % 0 1 &U 200" #%" &2 M
 (F/ H 5; , & N + 0 M * &\; (J2
 F 0 &U \$"#g ; + E U
 t L + F\$ H 5; 12 + & + ' / 2 +
 & 3 v &2 FMR% 3 & ' / & #2 &'
 + (M 2 3 + H ' U &') * FJ" L Z+
 F/ 2 FJ" L , % FU , / + \Q6% 53/ +
 + Z ' , R 3 B 0 "L 3J3+KL ' 3& ' &0
 , ' / \Q6% 3 / " Q ' 9' * 1 Ft
 \Q6% 3 / " 3 , - &U F\$ 0 852 9" ,
 fV2 & + fS f! 2 & 2 f f
 + , &2 ' \Q6% 35 / + 9"Q6% &Z +
 (2 & /{M&3 " 3 12E "5' '9*q; s 2
 52 \$"#g U ' ,E n #%) 0 %F'

V DU %
 (2 + "QR/ 3 "... Q"U U , " , %7 S
 3 0 " + : + & S"/ (' a: QR/ _
 0 " ("G6% + J2 + Z 2 ' / (MM2 SF
 Z ; , QQR " & %I + F 53 U &') F" J" L , %
 #g 3 "... 0 & U , + "L"

W *
 1- Goldberg D, Rabin M. Adolescent suicide and family violence: An ecological approach. *Adolescence Journal of the American Academy of Child and Adolescent Psychiatry*. 2000;28(110):291-308.
 2- Conner KR, Duberstein PR, Conwell Y, Seidlitz D, Daine ED. Psychological vulnerability to completed suicide: A review of empirical studies. *Suicide and Life-Threatening Behavior*. 2001;31(4):353-85.
 F" I' /-L + +) \ /-L , + &N + + , L &
 \Q6% 4E 1/ 2} , 1% (Q2 L

Archive of SID

- (!#\$
)+ \ sF1' 2 F/+ , 12 +0%" 0" !"\' sO
<OE%# # 2}, 1% ("6 6 "
27- Brent DA, Johnson BA, Perper J, Connolly JD, Biegel J,
Bartle S, et al. Personality disorder, personal traits,
impulsive violence and completed suicide in addicts.
Journal of the American Academy of Child and Adolescent
Psychiatry. 1994;33:1080-6.
- 8, \" F" I ' 6 Ft , E ' sF3' 3 21M & q8
Z ! 2 /-L + " 52 1% / F/ U&, 2 L 2 \$"
•8 -
24- Paykel E. The interview for recent life events.
Psychology Medicine. 1997;27:301-10.
25- Holmes TH, Raha RH. The social readjustment rating
scale. Journal of Psychosomatic Research. 1967;3:82

یادداشت:
