

PTSD نیابی در همسران جانبازان شیمیایی سردشت

Vicarious PTSD in Sardasht chemical warfare victims' wives

تاریخ پذیرش: ۱۳۸۸/۷/۲

تاریخ دریافت: ۱۳۸۷/۱۲/۲۶

Ahmadi K. PhD[✉], Reshadatjoo M. PhD, Karami G.
MD, Anisi J. MSc

خدابخش احمدی[✉]، محمود رشداتجو،
غلامرضا کرمی^۱، جعفر انیسی^۱

Abstract

Introduction: This study was to evaluate the vicarious or secondary post traumatic stress disorder (PTSD) in Sardasht chemical warfare victims' wives.

Method: In this descriptive cross-sectional study, 306 persons were analyzed in two case (150 wives of Sardasht chemical warfare victims) and control (156 wives of Sardasht normal families) groups. A 39-query Mississippi questionnaire was filled for each person in order to evaluate the severity of PTSD.

Results: The total Mississippi degree was 128.68 ± 12.67 in chemical warfare victims' wives and 111.27 ± 21.21 in control group. The prevalence and severity of PTSD in chemical warfare victims' wives were sensibly more than the control group. The total Mississippi score in chemical victims (case group's husbands) was higher than normal people (control group's husbands).

Conclusion: According to high prevalence and severity of this disorder in chemical warfare victims' wives, it is necessary to follow up and treat the involved cases.

Keywords: PTSD (Post Traumatic Stress Disorder), Vicarious Trauma, Chemical Victims, Chemical Warfare

چکیده

مقدمه: این مطالعه با هدف بررسی و مقایسه فراوانی اختلال فشار روانی آسیب‌زد (PTSD) نیابی با ثانویه در همسران جانبازان شیمیایی سردشت انجام شد.

روش: در این مطالعه مقطعی توصیفی - تحلیلی، ۳۰۶ نفر در دو گروه آزمون (۱۵۰ نفر از همسران مصدومین شیمیایی شهرستان سردشت) و کنترل (۱۵۶ نفر از همسران جمعیت عادی شهرستان سردشت) مورد بررسی قرار گرفتند. برای ارزیابی شدت PTSD، برای هر فرد پرسش‌نامه ۳۹-سئوالی "می‌سی‌سی‌پی" تکمیل شد.

یافته‌ها: نمره کل می‌سی‌سی‌پی در همسران جانبازان شیمیایی 128.68 ± 12.67 و در گروه کنترل 111.27 ± 21.21 بود. میزان و شدت PTSD در همسران مصدومین شیمیایی به طور معنی‌داری بیشتر از گروه کنترل بود. همچنین نمره کل می‌سی‌سی‌پی در مصدومان شیمیایی (شهران گروه آزمون)، بیشتر از شهران گروه کنترل بود.

نتیجه‌گیری: مطابق نتایج بدست آمده تقریباً تمامی همسران جانبازان PTSD دچار آسیب نیابی بودند. لذا با توجه به فراوانی و شدت بالای این اختلال در همسران جانبازان شیمیایی، بیگیری و درمان مبتلا ضروری بدنظر می‌رسد.

کلیدواژه‌ها: اختلال فشار روانی آسیب‌زد، آسیب نیابی، قربانیان شیمیایی، جنگ شیمیایی

[✉]Corresponding Author: Behavioral Sciences Research Center, Baqiyatallah University of Medical Sciences, Tehran, Iran
Email: kh_ahmady@yahoo.com

مرکز تحقیقات علوم رفتاری، دانشگاه علوم پزشکی بقیه‌ا...^(۱)، تهران، ایران

^۱ مرکز تحقیقات علوم رفتاری، دانشگاه علوم پزشکی بقیه‌ا...^(۲)، تهران، ایران

^۲ گروه روان‌پزشکی، دانشکده پزشکی، دانشگاه علوم پزشکی بقیه‌ا...^(۳)، تهران، ایران

```

' ' 87 : * E= # #PTSDR# 7
' A# 0! 1 9*,# : #)* !#0! 1
: $ ZI : K! I !W: I *
- @ : * : " # 0! 1 # : *E
A# :$ I .K ( A-: I- : * :
' # =@ - E : * 0! 1 I
" ' 0! 1 O# " . K! I
" # %* : F ' $= : @ - E
= E " : %* hW' # " =E
$8554
& ; # !8! ( !B * " !. @ :
phiomb 7 @ # # !8! ( 8 ,#p!
$ ' .( r # @ !: H !^ @ !: H !57g
@ s8= ( 8 ,# Vo E! c. " D
CZ @ # ( 8 D!#1 [ooo
" =I " 7 " %N T$5[4 !!
8 -O t ; 1 @ ' @ 8= @ 1#
0! 1 ( 8 @ : : " ! ' ,# +$ !
( 8 u %: ; * : I A 9* 8 R!W :
k ( A-: I# 0! 1 ' . 9* AB I
#N v : ' D 8
(Q R# 7 7 e# * ' . 1;7
h * WT : !8= ; - %N $: : '
@1 >r e# I & 9 @ @88 =
" ' @ (Q *Q @ K!: @ =
# !8! " #v !ZI* * 8%: ( !B * I 7
' # @ 8= %N T: @88 : J
J : I C R!W : 0! 1 ZI : I
O# XD : ' # W: %N T? ,# @#
$ I I Y @ !B7 O 8%: ( !B * L' r
# !8! @ C PTSD " Q r * ,#
Id# I " 7 # ,# ZI*
" "K#: !: * : H " U @ -# @ 8=
F = %N T: ,# c, N I # 8 @ :
@ 8= # Z #PTSD ' # W:
$ D # !8! @ C
@ 8= 5Yam : I . Y [oa %N T: ,#
Y5`am n @ ; # !8! @ : G:
J : n @ ; " 7 !%8 @ 8=

```

%; < =& " 7 89:PTSD
*: ; : ,# ? : 9#/ # " 0! 1 -> 7
. !* # - ,# \$ @ ! # @ # >A
9* B8 %!CD " # 9 A 9**:
@ 8 " E*1 >IC: * F G* !H " 2
A' K! # 0! 1 %J \$' I
@ D %J " K !+ =: ?9* L 9:
N I 8= M < + : " !
. ' : *Q R# 7\$: O P!O E!
: K! K 8* 3%U !H (A-: S TU
\$6
,! NA# # ,!WB* PTSD W %BO!'
L GP-: I " 7 # #0! 1 '
| # < ,# \$: O Y 1 + K! I " 7
@ . # # \$6 4!: C!G: # Z! * E
. !* " R ^ O : YB P:]=|
| | # < ,# " ! " : * # Z_!* : *
\$6 4
' : b Y* I " 7 A# " 0! 1 S 9*
" =E J \$ c. : Z I " 7 # "
(A-: * : 8 J @ : @ #0! 1
B7 ,!8= \$ 9# I "
C: 8! R= . ' B8 @ (Q
@ -# @ 8= ,! Id# 1 I R PTSD
C: 8! @ O : @ - (VV \$6 e#
" %N T\$6 : e PTSD
`a < O @ : G: @ PTSD
* j[i R# 7 J' [hW' : 8
\$6 # PTSD C: : e PTSD
R# 7 I 0! 1 + " ' . ,#
" 8= k G I ' # PTSD
8 8! = = A# K O
C9: 8= ,# I 7 ? ÷ J !ZI* * :
" 7 # E# 11' ; " -! # 8 EW
I @m 8= E W O - # 8 Y# I
\$6 4 O @ : G: I @ EW k G

[(8 > 18` x 5>J v =& = n5gf @ * ; %N T\$,#
 \$54 5i` * \$ & 9 n # !8! @ C8 %
 Y! r * (K. " I=>IB * #K9* H: I . S P " %TW: BnBr** %N T: ,#
 F m. <" = !%:n !: ,IO hK 8* " = !%: I; ! : # !8! @ C I" = < 8= :
 " =€ (!U' @ :\$ I Y n# %: %\$. J : @ ; @ . x# :
 0# U ~ # @ T1" c9: @ :1 _# : < " = I < " ! ,# y # !8! @::>y
 K& h * I " 1p8 (7 D\$ & 9 O C8= @ 8= I = <, ! \$ Y5[[a # !8! " C
 \$ K!NSPSS 13 %# %N T: " = !%: " 'y 8= > : I , # !8! " = . I < ; :
 & 7 5` "Q 9: 'z#>J : < >: & 7 I " 7 # 8! # ,:K8! %N T: O# 8 # # !8! & G: '
 " = !%: " # !8! & 5al \$ J : I 5o # ; %N T:
 @ : G: PTSD \$ = %: jg` n! . n : I . K! # !8! \$ # W:
 _!* 8 ! ' G* (r y I . I 5'a " = !%\$ S P @ ; " 7 !%8
 I . %N T: " ÷ !%-: I . %N T:
 I Z ; : I < (Y* ,# : @ 8= @ < #,\$ # !8! & 8
 %N T: n= m n# !8! @ : @ : I . \$. J / } !W:\$ < : : E < K
 \$ v [i " < : / U ~ < . !* / h * • : < : Br } !W:
 DSM-} @1 # C 7 [v I wr @ A8= ~# h * I:1 III \$54
 I 8 r5f I 8 x m !W: ,# N V 8 ? I ; -!<PTSD•!P-* : @ 7 5of€
 ' ,!# < .d# N *Q ! 5V5 ! : + = ; = !%: , # J ' PTSD" = !%:
 '%: # ~# h * } !W: ,# \$54 = : •!P-* @ : 1 \$ 7 # C 7 @ #". h *
 @ 8! € } qV O C8= } @ : 1 q[5 Y= _# Br' 9: @ : 1 } qV (D nPTSD > : 7 \\$ qV PTSD = ! m 8=
 * " ', ! (DC* >A-: I I @ ! _!AY*: E < ,# n ' @ W' YD 7
 >A -: \$ j \{ I . RJ ,# N

Archive of SID

r > : 7m YD 7 # * @ C @ 8= I . ' j 5V g > : 7m ' ,! (D C*
 > A - : " I . ' j V5g N ? j 25 N " ',! (D C* # A- : "
 # n > : 7m. ' @ W\$!: ,# # > A - : ,# # > A # !8! @@ C 8=
 I . ' j \5 # !8! @ C @ 8=j\{f ' j \{i # !8! @ C @ 85a?
 \$m m j Vg\$ > A - : ,# h : (I .

:	I .	@ 1 >:	7 # = <	: . !*	@ K!:	# W:
p	\$	t	? *\$" + '\$) ('	' !"	# \$%&
<			,	,	:	" ' #/ -% .
<					0 0!	0 0
<					0	12 3\$"4
<					:	3 4 72 \$ #56
<					") 8	
<					:	" 9/ 0'\$%2'
<					0:4 &	
<					:	0= " < \$; \$

@ C @ j8eff : H : D @ 8= @ 8= < : > 18 > W : " # . T @ : 1
 < : > 18 \$: e h : # # PTSD @ - I . -! " %: D # !8! @ C
 I . -! : I . PTSD >: 7A _# = (@ 8= 8 ; * (D I 8 \$ngff5 p<dp`m
 \$ I . -! " %: D # !8! @ C
 (r G D " %N T: (Q W: @ : " ' ,! (D C* > A - : I \$ng5i p<dp`m
 # # !8! @ C =@ 8PTSD dp`" T 2T I . # !8! @ C @ 8=
 " m O @ : G: @ 8=jPTSD N \$ I . -! @ C @ 8= %: (
 (%N T:# 8! !: G: !^ 8 !: G: YD 7 * 18 F \$n V5g p<dp`m
 %N T\$ I # I . ' -! 3B P: # !8! @ C @ 8= %: dp`" T 2T
 O @ : G@ 8=j[i @ A8# A / ' @ 8= K! . ' @ \$W' I . -!
 \$@ # ZTSID C: @ - PTSD * I . -! %: D # !8! @ C
 ! 9! ,# " %N T: @ A8= \$h mt\{V p<dp`m
 C: O @ : G: @ 8=jom& _#
 \$@ # Z _!* :.*! * R# 7 I PTSD
 @ : G: " =. " I & 9 (%N T: > r e# @ +8
 @ : G: 5g4& ; I : J B= O > J D # !8! @ : G: @ 8PTSD @ K!: @ : G:
 @ : G: !%U !ZI* @ !6o5i4& # u %: # = @ 8= -! H :
 \$; 1 @ 8= O : H (-J : f # + = ?C (8 ,#
 Vo # W: @ A8= , h * I & 9 %N T: O - p J e\$! 9* I #0! 1 ' @ 8= @ : G: @ 8PTSD @ K!: @ : G:
 & 9 8=jVo O @ : G: 8= L W @ . #0! 1 # !8! (!B * %89* !ZI*
 @ : G: @ 8= -! e . !* @ K! : I @ - (Q k G \$; 1 I (Q E# K'
 R # 7 (' # @ A8@ ; A8@ O -! " %: > A K! # !8! @ : G: b '
 E# K' PTSD @ # C: " ,! - " 8! \$ I . @ =

- 3- Figley CR. Burnout in families: The systematic of caring. Boca Raton: CRC Press; 1998.
- 4- Figley CR. Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatized. New York: Brunner Inc; 1995.
- 5- Bell H. Strengths and secondary trauma in family violence work. Soc Work. 2003;48:513-22.
- 6- Salston M, Figley CR. Secondary traumatic stress effects of working with survivors of criminal victimization. J Trauma Stress. 2003;16:167-74.
- 7- Motta RW. Personal and intra familial effects of viet war experience. Behav Ther. 1990;51:155-7.
- 8- Franciskovic T, Stevanovic A, Jelusic I, Roganic B, Klaric M, Grkovic J. Secondary traumatization of war veterans with posttraumatic stress disorder. Med J. 2007;48(2):177-84.
- 9- Solomon Z, Shalev AY. Helping victims of military trauma. In: Freedy JR, Hobfoll SE, editors. Traumat stress: From theory to practice. New York: Plenum; 1995.
- 10- Amick-Mcmullan , Angelynne; Kilpatrick, Dean,G. Resnick, Heidi S. , Homicide as a Risk Factor Among Surviving Family Members, Behavior Modification, Vol. 15, No. 4, 545-559 (1991)
- 11- Matsakis A. Vietnam wives: Facing the challenge life with veterans suffering post traumatic stress. Baltimore: Sidran Institute Press; 1996.
- 12- Tavalaei A, Asari S, Najafi M, Habibi M, Gharani M. Study of sleep disorders among chemical warfare victims. J Mil Med. 2006;3(5):6-9.
- 13- Hashemian F, Khoshnood K, Desai MM, Falahati F, Kasl S, Southwick S. Anxiety, depression and posttraumatic stress in Iranian survivors of chemical warfare. JAMA. 2006;296(5):560-6.
- 14- Norris FH, Perilla JL. The revised civilian Mississippi scale for PTSD: Reliability, validity and cross-stability. J Trauma Stress. 1996;9(2):285-98.
- 15- Judith A, Juesta M, Caddell RL, Pittman RR, rSeia The potential for faking on the Mississippi scale f combat-related PTSD. J Trauma Stress. 2005;7(3):441
- 16- Goodarzi MA. Evaluating validity and reliabilityof Mississippi post traumatic stress disorder scale. Psychol. 2003;7:153-78.
- 17- Koic E, Franciskovic T, Muzinic-Masle L, Dordev V, Vondracek S. Chronic pain and secondary traumatization in the wives of Croatian veterans for posttraumatic stress disorder. Acta Clin Croatica. 2002;41:295-306.
- 18- Galovski T, Lyons JA. Psychological sequel of combat violence: A review of the impact of PTSD on the family and possible interventions. Aggress Violent Behav. 2004;9:477-501.
- 19- Lyons MA. Living with post-traumatic stress disorder: The wives'/female partners/perspective. J Adv Nurs. 2001;34(1):69-77.
- 20- Dirkzwager AJ, Bramsen I, Ader H, Ploeg HM. Secondary traumatization in partners and parents of peacekeeping soldiers. J Fam Psychol. 2005;19(2):201
- 21- Ben Arzi N, Solomon Z, Dekel R. Secondary traumatization among wives of PTSD and post-combat casualties: Distress, caregiver burden and psychological separation. Brain Inj. 2000;14(8):725-36.
- 22- Calhoun PS, Bechth JC, Bosuord HB. Partners of veterans with PTSD: Caregiver burden and related problems. J Trauma Stress. 2002;15(3):205-12.

-' X !W * , # \$ • C* ,!CJ : -'
 -' E# K' PTSD C: @ @ 8=
 \$@ " %:• C* @ !' D
 Z I !#I* BD %N T:,# e# b' (%N T: e#
 I " 7 > C! 1 @ D (-J :
 (Z R!W : !ZI * * # @ : & 7
 # (Q p : K!@ C
 I (Z I #0! 1 ' ; :\$ 8 '
 E# K' : @ 1 0 J % : (A -:: 9!
 : E W !!)* @ ' I . @= 8N v:
 N 8 > B7 : @ 1 @ I . I
 Z %N T: , # O# R \$ AQ
 = : I B R: (Q # !8! " = K'
 I . = %N T: : ' @ WT : _#;
 I -: ; 1 O (! 9* #
 @ *Q 8 ptJ 8 @+*= 9! \$
 %N T: e# N Y ,P # !8! " = ZK'q
 \$: # W* =† !U ',#

" = .'
 @ . #0! 1 @ !: (Q "Q R9 B7
 -! " B : = ! ; 1 I # !8!
 , # " (Q Id# _!B >!A-* ,8s\$
 0! 1 # : * E :\$ # K !8= K!
 (A -: I -: * : - @ : * : " #
 , # "Q (' * c\$ I . K
 : @ : " !O!< # !8! @ C@= @
 \$: H " U C:

* W* w D 8 J N W#0'\$ A "B62
 \$ I & 9 " ' & B7 (WKV: * #
 & B7 :; I A= d< A8= J A-* #,
 W*#B @ : G: %N T#@ C! A K<
 \$ @ # (A-: " I + ,C:# * R :

D8 9
 1- Anne Ranee Farrar MA. Vicarious traumatization the mental health professional. Washington: Newsle 2002.
 A K@ { ' & B7 A K@ r K\$,!: 9 t q
 ? 8 (- @ ;\$@ 8 : @ C ,! %\$N
 \$[gV