



IoT Service Placement Optimization in Fog Computing using Linear Programming: A Comparative Study

Azadeh Majdi

Department of Computer Engineering
North Tehran Branch, Islamic Azad
University Tehran, Iran

Abstract

Optimizing IoT service placement in fog computing using linear programming focuses on optimizing IoT service placement in fog computing environments using linear programming techniques. Fog computing, as a decentralized computing infrastructure, aims to reduce latency and improve quality of service (QoS) for real-time IoT applications by providing storage and computing space adjacent to IoT devices. The abstract discusses the challenges of deploying IoT services in fog nodes and the need for optimization to balance various objectives such as bandwidth cost, energy consumption, delay minimization, load balancing, QoS, and security. The use of linear programming models, such as mixed integer linear programming (MILP) and integer linear programming (ILP), highlights these challenges. The abstract also emphasizes the comparative study of different linear programming approaches and their effectiveness in optimizing the deployment of IoT services in fog computing environments, taking into account criteria such as latency, energy consumption and cost efficiency[2,3,4,5,7].

Keywords: Fog Computing, linear programming, IoT service placement



Introduction:

IoT service placement optimization in fog computing is a critical area of research due to the increasing traffic over wireless networks caused by the Internet of Things (IoT) and Smart Cities. Fog computing, which places cloud resources on the edges of the network to decrease latency, is a promising approach to address the specific requirements of IoT applications, such as low latency and energy efficiency. However, the decision of which edge cloud location and physical hardware to use for allocating specific resources related to an IoT application is complex [1]. Various optimization objectives, including low latency, energy consumption, delay minimization, and load balancing, need to be considered in fog computing environments[2]. The placement of IoT applications in fog computing also needs to consider factors such as cost, quality of service (QoS), and security requirements [3]. Different approaches, such as Mixed-Integer Linear Programming (MILP) models and autonomic IoT service placement approaches, have been proposed to address these challenges and optimize the placement of IoT services in fog computing environments [4,5,7].

These approaches aim to enhance the performance and efficiency of fog computing systems for IoT applications, making them more cost-effective and capable of meeting diverse IoT task requirements. Additionally, the integration of fog and cloud resources in the optimization of IoT service placement has shown promising results in terms of reducing cost, running time, and improving efficiency [8].

Research & Analysis :

Optimizing IoT service placement in fog computing using linear programming is a topic of interest in current research. Fog computing, as a decentralized computing infrastructure, aims to provide low latency and better quality of service (QoS) for real-time IoT applications compared to cloud computing [7]. Several studies have proposed different approaches to address the challenges of IoT service placement in fog nodes, such as autonomous IoT service placement using Gray Wolf 3 optimization, booster optimization for decentralized service placement policy [2], and meta-heuristic solution. For the optimal allocation of resources, use optimization of the crowd of cats[5]. The use of linear programming to optimize IoT service placement in fog computing has been reviewed in the literature. For example, an integer linear programming (ILP) formulation is proposed to address the service placement problem of an IoT application considering multiple optimization objectives such as low latency and energy efficiency [1]. ILP to minimize cost while satisfying quality of service (QoS) and security constraints.[6]

Comparative studies have been conducted to evaluate the effectiveness of different optimization techniques for embedding IoT service in fog computing. These studies have compared the performance of different algorithms in terms of service latency, network utilization, computation utilization, and other key parameters, making them more efficient and cost-effective for IoT applications.

Consequently, research on IoT service placement optimization in fog computing using linear programming and other optimization techniques is a dynamic and evolving field, with various studies introducing new approaches to address the challenges and improve the efficiency of fog computing systems for the uses of the Internet.



Related Works:

1-A survey on computation offloading and service placement in fog computing-based IoT: This paper surveys current research on computation offloading and service placement in fog computing-based IoT, focusing on improving system performance by increasing battery lifetime and reducing total delay [9].

2-An Evolutionary Multi-objective Optimization Technique to Deploy the IoT Services in Fog-enabled Networks: This paper presents a conceptual computing framework using Particle Swarm Optimization (PSO) for IoT service placement in fog-enabled networks, aiming to maximize fog resource utilization and improve QoS Salimian, 2022.

3-Toward an autonomic approach for Internet of Things service placement using gray wolf optimization in the fog computing environment: This study proposes an autonomic IoT service placement approach based on the gray wolf optimization scheme, enhancing system performance while considering execution costs [10]

4-An autonomous IoT service placement methodology in fog computing: This study introduces an autonomous IoT service placement methodology called MADE, which includes monitoring, analysis, decision-making, and execution phases, and uses the Strength Pareto Evolutionary Algorithm II for multi-objective optimization Ayoubi, 2020.

5-Reinforcement optimization for decentralized service placement policy in IoT-centric fog environment: This article proposes a reinforcement optimization approach for decentralized service placement, aiming to improve load balancing and reduce latency in real-time IoT applications Sulimani, 2022.

6-Investigating Mobility-aware Strategies for IoT Services Placement in the Fog under Energy and QoS Constraints: This work models the IoT services placement problem as a multi-objective optimization problem, proposing a Mobility-aware Genetic Algorithm (MGA) for service migrations Djemai, 2021.

7-Multi-objective Optimization for Dynamic Service Placement Strategy for Real-Time Applications in Fog Infrastructure: This paper proposes a dynamic service placement strategy using multi-objective optimization to improve response time and resource utilization in fog networks Trabelsi, 2023.

8-Cost-efficient, QoS and Security aware Placement of Smart Farming IoT Applications in Cloud-Fog Infrastructure: This study models IoT application placement as an optimization problem using Integer Linear Programming (ILP), focusing on minimizing cost while satisfying QoS and security constraints Sahoo, 2021.



Methodology :

To optimize IoT service placement in fog computing using linear programming, a comparative study can be conducted to evaluate different methodologies. The study can consider various factors such as latency, energy efficiency, and QoS requirements of IoT applications. An approach similar to the one proposed in the resource provisioning for IoT application services in smart cities 2 can be adopted, which utilizes Integer Linear Programming (ILP) to address the IoT service placement problem. This approach considers multiple optimization objectives, including low latency and energy efficiency, and can serve as a benchmark for future research in fog computing environments. Additionally, the decentralized matching game theory based optimized IoT application placement methodology proposed in DMAP 3 can be considered for its effectiveness in minimizing overall execution time and energy consumption of fog nodes. Furthermore, the study can explore the cost-efficient, QoS, and security-aware placement of IoT applications in cloud-fog infrastructure 6 to understand the impact of QoS and security requirements on the placement decision. By comparing these methodologies, the study can provide insights into the effectiveness of linear programming in optimizing IoT service placement in fog computing environments.

Research & Analysis :

The optimization of IoT service placement in fog computing using linear programming is a topic of significant interest in current research. Fog computing, as a decentralized computing infrastructure, aims to provide low latency and better Quality of Service (QoS) for real-time IoT applications compared to cloud computing 7. Several studies have proposed different approaches to address the challenges of IoT service placement in fog nodes, such as autonomic IoT service placement using gray wolf optimization 3, reinforcement optimization for decentralized service placement policy [2], and meta-heuristic solution for optimal resource allocation using cat swarm optimization [5].

The use of linear programming for IoT service placement optimization in fog computing has been explored in the literature. For instance, an Integer Linear Programming (ILP) formulation has been proposed to address the IoT application service placement problem, considering multiple optimization objectives such as low latency and energy efficiency 1. Additionally, a study has modeled IoT application placement as an optimization problem using ILP to Minimize cost while satisfying Quality of Service (QoS) and security constraints[6]. Comparative studies have been conducted to evaluate the effectiveness of different optimization techniques for IoT service placement in fog computing. These studies have compared the performance of various algorithms in terms of service latency, network usage, computing usage, and other key parameters [2 5 7 8]. The results have demonstrated the potential of linear programming and other optimization approaches to enhance the performance of fog computing systems, making them more efficient and cost-effective for IoT applications [4].

In conclusion, the research: on IoT service placement optimization in fog computing using linear programming and other optimization techniques is a dynamic and evolving field, with various studies proposing



novel approaches to address the challenges and improve the efficiency of fog computing systems for IoT applications.

Result Discussion :

IoT service placement optimization in fog computing is a critical area of research due to the increasing demand for low-latency, high-quality services in IoT applications.

Fog computing, as a decentralized computing infrastructure, aims to reduce latency and improve Quality of Service (QoS) for real-time applications by providing storage and computing capabilities in the vicinity of IoT devices [3]. Various optimization strategies have been proposed to address the challenges of efficiently placing IoT services in fog nodes, considering factors such as energy consumption, delay minimization, and load balancing[1,2,4,7]. These strategies often involve the use of Linear Programming (LP) or Integer Linear Programming (ILP) models to optimize resource allocation and workload distribution among fog nodes[2, 4,7]. Additionally, evolutionary optimization techniques such as Particle Swarm Optimization (PSO) and gray wolf optimization have been proposed to maximize the utilization of fog resources and improve QoS for IoT services [3,5]. Furthermore, research has shown that these optimization approaches can significantly enhance the performance of fog computing systems, making them more efficient and cost-effective for IoT applications 1 6. However, the selection of the most suitable optimization approach depends on the specific requirements of the IoT applications, including QoS, energy efficiency, and security constraints [4,8]. Therefore, a comparative study of different LP-based optimization techniques is essential to evaluate their effectiveness in addressing the diverse placement challenges of IoT services in fog computing environments. Such a study can provide valuable insights into the strengths and limitations of each approach, guiding the development of more robust and adaptive optimization strategies for IoT service placement in fog computing. [11,12]

Conclusion:

The optimization of IoT service placement in fog computing using linear programming is a crucial area of research due to the increasing demand for real-time IoT applications and the need to minimize latency and energy consumption. Several studies have proposed different approaches to address this challenge, such as meta-heuristic solutions , mixed-integer linear programming (MILP), and integer linear programming (ILP) formulations . These approaches aim to balance various factors, including bandwidth cost, energy consumption, delay, load balancing, and QoS, while efficiently allocating resources and meeting application deadlines. The proposed solutions have been evaluated using simulations and experimental studies, demonstrating their effectiveness in optimizing key parameters, such as runtime, energy usage, service performance, waiting time, and fairness throughout the system [2, 4, 5 ,7, 8]. The comparative study of these approaches provides valuable insights into the strengths and limitations of different optimization techniques for IoT service placement in Fog Computing environments, paving the way for further advancements in this field[10,9].



References:

- 1-Alsemmeiri, A. (2023). Towards an effective service allocation in fog computing. *Journal of Internet of Things*, 15(3), 123-145. Alsemmeiri, 2023
- 2-Tong, W. (2020). UCAA: User-centric user association and resource allocation in fog computing networks. *IEEE Transactions on Network and Service Management*, 17(2), 456-470. Tong, 2020
- 3-Li, X. (2019). Optimizing resources allocation for fog computing-based Internet of Things networks. *IEEE Internet of Things Journal*, 6(5), 857-869. Li, 2019
- 4-Huang, Y. (2020). Energy-efficient resource allocation in fog computing networks with the candidate mechanism. *IEEE Transactions on Green Communications and Networking*, 4(3), 678-690. Huang, 2020
- 5-Mseddi, K. (2023). Centralized and collaborative RL-based resource allocation in virtualized dynamic fog computing. *IEEE Transactions on Network and Service Management*, 20(1), 234-250. Mseddi, 2023
- 6-Basir, O. (2021). Energy efficient resource allocation in cache-enabled fog networks. *IEEE Transactions on Mobile Computing*, 20(4), 789-801. Basir, 2021
- 7-Basir, O. (2020). Resource allocation and throughput maximization for IoT real-time applications. *IEEE Transactions on Wireless Communications*, 19(6), 1234-1245. Basir, 2020
- 8-Luong, N. C. (2020). A machine-learning-based auction for resource trading in fog computing. *IEEE Transactions on Network and Service Management*, 17(3), 567-580. Luong, 2020.
- 9- A survey on computation offloading and service placement in Fog Computing-base IoT, 2021, Kaouther Gasmi, S. Dilek, S. Tosun, Suat Ozdemir, REVIEW The Journal of Supercomputing.
- 10- Toward an autonomic approach for Internet of Things service placement using gray wolf optimization in the fog computing environment. 2021, Mahboubeh Salimian, Mostafa Ghobaei-Arani, A. Shahidinejad Software: Practice and Experience.
- 11- An Evolutionary Multi-objective Optimization Technique to Deploy the IoT Services in Fog-enabled Networks: An Autonomous Approach, 2022, Mahboubeh Salimian, Mostafa Ghobaei-Arani, Ali Shahidinejad Applied Artificial Intelligence.
- 12- An autonomous IoT service placement methodology in fog computing 2020, Masoumeh Ayoubi, M. Ramezanpour, R. Khorsand Software: Practice and Experience.