



Oral Presentation



تهران ۴-۲ بهمن ماه ۱۳۹۳ / مرکز همایش های ابوریحان دانشگاه شهید بهشتی

How different are sexually satisfied women with dissatisfied group?

Effat Merghati-Khoei¹, Raziye Maasoumi^{2*}, Solmaz Talebi³, Marzieh Hajiaghababaei⁴, Saiedeh Hajimirzaie⁵, Alireza Bayat⁶, Fatemeh Hirmandi⁷, Soraya Lotfi⁸

¹ PhD of Sexual health promotion, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

² Postdoc of Sexual health promotion, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

³ Ph.D student of Biostatistics, Department of biostatistics and epidemiology, Tehran University of Medical Sciences, Tehran, Iran

⁴ MS.c of psychology, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

⁵ MSc student of Midwifery, Department of Midwifery and Reproductive Health, Faculty of Medical Sciences, Tarbiat Modarres University, Tehran, Iran

⁶ BSc of Public Health, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

⁷ BSc of Midwifery, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

⁸ BSc of Nursing, Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran

*Corresponding Author
r_maasoumi@yahoo.com

Introduction: Sexual satisfaction is affected by several factors. This study was conducted to examine the sexual satisfaction and its associates among married women.

Methods: In this descriptive-analytic study, using convenience sampling 306 married women in their reproductive age referred to the health centers affiliated with Tehran University of Medical Sciences, completed a researcher-made questionnaire. Statistical analysis (independent sample t-test and univariate regression) was carried out by the SPSS version 16.

Results: The mean score of the sexual satisfaction was 77.97 ± 1.38 . Based on the mean, women were divided into two groups: sexually satisfied and dissatisfied. Two groups were matched in age ($P=0.35$), age of the husbands ($P=0.26$), income status ($P=0.43$), number of children ($P=0.44$) and contraceptive methods ($P=0.13$). Educational and menstrual status of the subject ($P=0.04$), length of marriage ($P=0.01$), sexual function, husband's educational status, and emotional bound with her husband ($P<0.001$) were significantly different between two groups.

Conclusion: Women's socio-demographic and reproductive traits are associated with their sexual performance and satisfaction. It is recommended that sexual and reproductive health care providers pay more attention to these traits at the time of health care delivery.

Keywords: Sexual Satisfaction, Iranian Woman, Reproductive age