

Relationship of Sexual Satisfaction with Spiritual Health and Demographic Characteristics in Women Referring to Health Centers in Qom

Received 24 Jun 2020; Accepted 15 Oct 2020
<http://dx.doi.org/10.29252/jhsme.7.4.1>

Fatemeh Dehghani^{1,2} , Majid Zargham Hajebi^{2*} , Zabihollah Gharlipour³ 

1 Spiritual Health Research Center, Qom University of Medical Sciences, Qom, Iran.

2 Department of Psychology, Qom Branch, Islamic Azad University, Qom, Iran.

3 Department of Health Education, Faculty of Health, Qom University of Medical Sciences, Qom, Iran.

Abstract

Background and Objectives: Sexual activity is one of the most basic aspects of human life and sexual satisfaction is one of the important indicators of marital satisfaction. It plays a very significant role in strengthening and stabilizing the family. However, no study has been performed in this regard; therefore, the present study aimed to investigate the relationship of sexual satisfaction with spiritual health and demographic characteristics in women referring to health centers in Qom, Iran.

Methods: This cross-sectional descriptive-analytical study was performed on women referring to health centers in Qom. The subjects were selected using the multi-stage sampling method. Four out of eight districts (1, 2, 4, and 8) were selected by lottery method; subsequently, two health centers were selected from each district using the simple random method.

The sample size was calculated at 320 cases using the sample size formula. The required data were collected through the Sexual Satisfaction Scale for Women developed by Metson and Trapnell and Spiritual Well-Being Scale by Paloutzian and Ellison. Finally, the collected data were analyzed in SPSS software using descriptive statistics, such as frequency tables, percentage, and mean and inferential statistics, namely Pearson correlation, Spearman test, and multiple regression.

Results: Based on the findings, there was a significant and positive correlation between spiritual health and sexual satisfaction ($P=0.01$, $R=0.511$). Moreover, it was found that there was a direct correlation between spiritual health and sexual satisfaction; accordingly, people with higher spiritual health have higher sexual satisfaction.

Sexual satisfaction also had a negative significant correlation with age and duration of marriage ($P=0.01$); accordingly, sexual satisfaction decreased with the increase of age and marriage duration. Furthermore, there was a significant direct correlation between education level and sexual satisfaction ($P=0.003$).

Conclusion: According to the findings, spiritual health can be considered as one of the appropriate methods to increase sexual satisfaction in women. Therefore, by training women through educational packages or classes (in-person or virtual), it may be possible to increase their sexual satisfaction.

Keywords: Sexual Behavior, Sexual Satisfaction, Spiritual Health, Spirituality, Women.

*Correspondence: Should be addressed to Dr. Majid Zargham Hajebi. Email: zarghamhajebi@gmail.com

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial 4.0 International License



Please Cite This Article As: Dehghani F, Zargham Hajebi M, Gharlipour Z. Relationship of Sexual Satisfaction with Spiritual Health and Demographic Characteristics in Women Referring to Health Centers in Qom. Health Spiritual Med Ethics. 2020;7(4):1-7.

Introduction

Sexual satisfaction is based on one's assessment of their sexuality, which includes their understanding of the satisfaction of their needs, realization of their expectations from the intercourse, and their

positive assessment of it. Sexual satisfaction is one of the important indicators of a successful marriage and family health and plays a significant role as one of the fundamental factors of relationship satisfaction. Sexual

intercourse does not necessarily refer to copulation; moreover, its purpose is not merely the experience or non-experience of orgasm (1). The increasing rate of family conflicts, divorce, and issues, such as marital infidelity, in society has attracted more attention to the factors that affect the stability and satisfaction of marital relationships.

Sexual satisfaction is one of the important components and key variables of marital satisfaction that plays an undeniable role in strengthening and stabilizing the family. It is one of the natural and original functions of the institution of marriage and affects the reduction or increase of marital satisfaction. Accordingly, adjustment, balance, and compatibility in sexual intercourse are the most important components of happiness in marital relationships (2). Based on the results of several previous studies, spiritual health is one of the basic components that have a great impact on the improvement of marital commitment and its quality (3).

Spirituality and spiritual growth of human beings have increasingly attracted the attention of psychologists and mental health professionals in the past few decades. Advancement of psychology, on the one hand, and the dynamic and complex nature of modern societies, on the other, have made the spiritual needs of human beings more important than their material desires and needs. Spiritual health refers to a state of being that results in positive knowledge of and behavior towards oneself, others, God, and nature. It makes the individual full of a sense of identity, satisfaction, happiness, contentment, beauty, love, respect, inner peace, harmony, and purposefulness (4). Spirituality creates peace, mental security, liberation from feelings of emptiness and loneliness, meaning in life, hope, life satisfaction, and social support. Therefore, it leads to an improvement in psychological capacities, the ability to cope with stress and problems, mental health, physical health, and greater longevity (5)

According to previous studies, health has physical, mental, social, and spiritual aspects. Spiritual health is related to other aspects of health and affects them; moreover, it provides

a coordinated and integrated relationship between internal forces (6). Spirituality leads to peace, mental security, liberation from feelings of emptiness and loneliness, a meaningful life, hope, life satisfaction, and social support. Consequently, one's psychological capacity and the ability to cope with stress and problems improve which results in the enhancement of mental and physical health and greater longevity (7).

Based on the findings of another study, spiritual health has a positive relationship with the quality of life and marital satisfaction in married people. Spirituality consists of a set of resources and capacities which help to increase the quality of life of individuals, especially regarding marital relationships (5).

According to the results of previous research, couples who have higher levels of spiritual health experience fewer marital conflicts and are more capable of resolving interpersonal conflicts. The above-mentioned study also revealed that spiritual health has a positive relationship with the quality of life and marital satisfaction. Spirituality consists of a set of resources and capacities which help to increase the quality of life of individuals, especially regarding marital relationships (7).

Sexual satisfaction is one of the most important and fundamental issues in a marital relationship and sexual adjustment is one of the causes of happiness, success, vitality, and health of couples. Moreover, sexual satisfaction prevents tension and conflict to a large extent. However, only few studies have been conducted about this issue; therefore, this study aimed to determine the relationship between spiritual health and sexual satisfaction of women referring to health centers in Qom, Iran in 2020.

Methods

This correlational cross-sectional study used a descriptive-analytical design and was performed on women who referred to health centers in Qom. The sample size was calculated based on a study carried out by Shawani et al. in which the correlation between spiritual health and sexual satisfaction was 0.4 while the type I error was 0.05.

Finally, the sample size was calculated at 320 subjects (8).

$$n = \left(\frac{z_{1-\frac{\alpha}{2}} + z_{1-\beta}}{(\omega)^2} \right)^2 + 3$$

Subsequently, four out of the eight existing regions (one, two, four, and eight) were selected using the multi-stage sampling method by lottery method. Thereafter, two health centers were selected from each region using the simple random method. Finally, the subjects were selected using the random sampling method.

The inclusion criteria were 1) lack of pregnancy, breastfeeding, or menopause, 2) marriage duration of more than one year (9), 3) literacy, and 4) lack of disability or a chronic physical or mental illness (all clients have a record in the Sib system and their medical history can be traced). The written informed consent of the patients was obtained before they participated in the study. The research tools were the Sexual Satisfaction Scale for Women developed by Matson and Trapnell and Spiritual Well-Being Scale by Paloutzian and Ellison. The questionnaires were distributed among the participants and the necessary explanations were provided for them regarding how to answer the questions. Moreover, they were ensured that the data obtained from the questionnaires will only be published as general and not individual results. Furthermore, there was no need for them to include their first and last names in the questionnaire.

Data Collection tools

Sexual Satisfaction Scale for Women by Matson and Trapnell

This scale includes 30 items consisting of five aspects, namely contentment (items 1-6), communication (items 7-12), compatibility (items 13-19), relational concern (items 19-24), and personal concern (items 25-30). The overall score of sexual satisfaction can be calculated through this scale. Each item is scored based on a five-point Likert scale

ranging from strongly agree to strongly disagree and higher scores indicate more satisfaction. The Cronbach's alpha coefficient of the total score of the questionnaire and its aspects were calculated at 0.96 and 0.82-0.91, respectively (10).

Spiritual Well-Being Scale by Paloutzian and Ellison (1982)

This questionnaire is used to assess the vertical and horizontal aspects of spiritual health (11). It includes 40 items that measure spiritual health (n=20), religious health (n=10), and existential health (n=10). Items 2, 4, 6, 8, 10, 12, 12, 14, 16, 18, and 20 are related to existential health while the rest are related to religious health (8). Scores of each of the religious and existential health subgroups range from 10 to 60. Higher obtained scores in this questionnaire indicate higher religious and existential health. The spiritual health score is the sum of these two subgroups and is within the range of 20-120. The items were scored based on a six-point Likert scale ranging from strongly disagree to strongly agree. Spiritual health level is divided into three levels of low (20-40), moderate (41-99), and high (120-100). Allahbakhshian et al. translated this questionnaire to Persian and examined and confirmed its content validity. They reported its Cronbach's alpha coefficient at 0.82 (12).

The collected data were analyzed in SPSS software (version 23) using Pearson correlation, Spearman correlation, and multiple regression analysis methods. Moreover, if it was necessary, descriptive statistical methods, such as mean, were used as well. It should be noted that all ethical considerations were respected in all stages of the research, including the principles of voluntariness and confidentiality of information. This article was extracted from a research proposal with the ethics code of IR.MUQ.REC.1399.107.

Result

Based on the results obtained from Table 1, sexual satisfaction had a negative significant correlation with age, marriage duration, and age of the husband. Accordingly, with the increase

of age and marriage duration, the level of sexual satisfaction decreased. Moreover, it was found

Table 1. Correlation coefficient between sexual satisfaction and demographic information of the subjects

	Correlation coefficient	P
Age	-0.146	0.010
Age of the spouse	-0.131	0.022
Marriage duration	-0.199	0.010
Education level*	0.169	0.003
Age of marriage	0.069	0.228
Age of marriage of the husband	0.038	0.507

* Education level was assessed by Spearman test.

Table 2. Correlation coefficient of sexual satisfaction with existential, religious, and spiritual health

Variables	Number	Correlation coefficient	P
Existential health and sexual satisfaction	320	0.452	0.01
Religious health and sexual satisfaction	320	0.394	0.01
Spiritual health and sexual satisfaction	320	0.511	0.01

Table 3. Regression analysis for the prediction of sexual satisfaction through components of spiritual health

	Unstandardized coefficients		Standardized coefficients	t	P	Collinearity indicators	
	B	Standard error	Beta			Tolerance	Variance inflation factor
Constant	11.915	6.686		1.782	0.076		
Religious health	0.895	0.176	0.264	5.095	0.001	0.869	1.150
Existential health	1.282	0.186	0.357	6.884	0.001	0.869	1.150

that sexual satisfaction had a direct significant correlation with the level of education and spiritual health. Accordingly, people who had more spiritual health had higher sexual satisfaction as well. Furthermore, the mean values of religious and existential health were 33.63 ± 5.151 and 31.33 ± 4.869 , respectively, while the mean overall score of spiritual health was 64.96 ± 8.290 .

According to Table 2, sexual satisfaction has a significant correlation with health components (i.e., religious and existential health) ($P < 0.01$). Accordingly, people with more existential and religious health have higher sexual satisfaction.

Table 3 tabulates the results of multiple regression analysis for the prediction of sexual satisfaction through the components of spiritual health. The standardized regression coefficient (Beta) for the religious and existential health components were 0.264 and 0.357, respectively. According to the obtained t-value, which is significant at the alpha level of 0.01, it can be concluded that the components of spiritual health positively and significantly predict the sexual satisfaction of women referring to health centers in Qom.

Discussion

Based on the results, there is a significant direct relationship between spiritual health and sexual satisfaction; accordingly, people with more spiritual health have higher sexual satisfaction. It should be mentioned that no previous research has directly examined the relationship between spiritual health and sexual satisfaction; therefore, we will discuss the other related literature that could be found in this regard.

Salehi et al. conducted a study on married students titled "The Relationship Between Spiritual Health and Marital Satisfaction". They found that spiritual health had a direct and significant relationship with marital satisfaction which is in line with the results of this study (13).

Shawani et al. carried out a research in 2014 titled "The Role of Sexual Satisfaction, Spiritual Health, Psychological Distress, and Self-Esteem in the Marital Commitment of Women with a Veteran Spouse". They found that marital commitment had a positive and significant relationship with spiritual health and sexual satisfaction which was consistent with the findings of the present study (8).

Moreover, Taheriha et al. performed a study titled "Role of Spiritual and Mental Health in the Prediction of Marital Satisfaction" and found that marital satisfaction had a significant relationship with spiritual and mental health. They also observed that spiritual and mental health can predict marital satisfaction which is consistent with the results of the present study (11).

Findings of another research have indicated that higher levels of spiritual health lead to fewer marital conflicts and a greater ability to resolve interpersonal conflicts which are consistent with those of the present study (14). Moreover, in a study conducted by Peplau, it was found that spiritual health plays an important role in the improvement of marital commitment and quality of marital relationship which is consistent with the results of this study (3).

These findings are justifiable since religious beliefs can affect all physical, psychological, and social aspects of life. People with high levels of spiritual health consider diseases or problems as the signs of divine wisdom and God's special attention to them. Moreover, spirituality increases their trust in God, enhances their patience over problems, and gives them hope for receiving spiritual rewards in the afterlife and obtaining the satisfaction and attention of God.

According to the results of the present study, sexual satisfaction had a negative significant relationship with age and marriage duration. Accordingly, with the increase of age and marriage duration, the rate of sexual satisfaction will decrease. Moreover, there was a direct and significant relationship between education level and sexual satisfaction.

Findings of this study were not directly consistent with those of any other study; however, other studies can be used to explain these findings. In a study conducted by Esther Castellano, it was found that variables, such as gender, age, social class, share in household chores, self-care, financial cooperation, child care, and self-perceived health status can lead to an increase or decrease in sexual satisfaction. Gender and class inequalities reduced sexual satisfaction; in addition,

decreased sexual satisfaction was observed in women over the age of 45. Nevertheless, women who cared for themselves were 1.7 times more sexually satisfied, compared to women who could not feel good about themselves. These findings are in line with those of the present study (15).

According to the findings of a previous study, demographic characteristics affect marital satisfaction and can explain the changes in marital satisfaction which is consistent with those of this study (16). Furthermore, the results of another study also indicated that demographic characteristics affect marital satisfaction and explain the changes in marital satisfaction which is also in line with those of this study (17).

These results can be justified since the more open and trained view of educated people contributes effectively to how they judge physiological processes, such as sleep and sexual behavior. Sexual behavior can be affected by psychological disorders and seriously influence the quality of life of a person. Moreover, aging reduces the ability and desire for sexual relationships. In addition, the partners might lose their attraction for each other after some years which can also be an important and influential factor in the reduction of sexual satisfaction.

Research limitations

Limitations of the study include the lack of generalizability of the data, self-report nature of the study, as well as the impossibility of investigation of the causal relationships. Another limitation of this research was the sensitivity of sexual issues which caused the participants to be less interested in answering questions about this topic.

Conclusion

Based on the results of this study, spiritual health had a direct and significant relationship with sexual satisfaction. Moreover, among the demographic components, there was a negative significant relationship between marriage duration and sexual satisfaction, while there was a direct and significant relationship between education level and sexual satisfaction.

Therefore, it is suggested to create a suitable platform for education to enhance spiritual health in families through the national media and virtual or in-person training workshops. Besides, it is recommended to provide the required environment for research on this topic in different regions of the country.

Conflict of interest

The authors declare that there was no conflict of interest in this study.

Acknowledgements

The authors would like to thank the Deputy of Research and Technology, Deputy of Health, the staff of health centers of Qom University of Medical Sciences, as well as the women who participated in the implementation of this research.

References

1. Pourheydari S, Bagherian F, Doustkam M, Bahadorkhan J. The effects of life skills training on marital and sexual satisfaction of young couples. *Knowl Res Appl Psychol* 2017;14(51):14-22. [Link](#)
2. Aliakbari M, Heydarinasab L, Keyghobadi S. Surveying the relation between sexual performance and marital compatibility in married women. *Clin Psychol Person* 2013;20(8):87-98. [Link](#)
3. Peplau LA. Distinguished scholar article Rethinking women's sexual orientation: an interdisciplinary, relationship-focused approach. *Person Relationships* 2001;8(1):1-19. [Link](#)
4. Amjad F, Bokhary IZ. Comparison of spiritual well-being and coping strategies of patients with generalized anxiety disorder and with minor general medical conditions. *J Relig Health* 2015;54(2):524-39. [PMID: 24535043](#)
5. Rahmati R, Mohebbi-Dehnavi Z. The relationship between spiritual and emotional intelligence and sexual satisfaction of married women. *J Educ Health Promot* 2018;7(1):162. [PMID: 30693299](#)
6. Khoshbakht Pishkhani M, Mohammadi Shahboulaghi F, Khankeh H, Dalvandi A. Spiritual health in Iranian elderly: a concept analysis by walker and avant's approach. *Iran J Ageing* 2019;14(1):96-113. [Link](#)
7. Nejati V, Zabihzadeh A, Maleki GH, Mohseni M. Social cognition in patients with major depression disorder: evidence from reading mind in the eyes test. *J Appl Psychol* 2013;6(4):57-70. [Link](#)
8. Showani E, Zahrakar K, Ghasemi Jobaneh R, Dargahi S. Role of sexual satisfaction, spiritual health, psychological distress and self-esteem in marital commitment of veterans wives. *Iran J War Public Health* 2015;7(2):99-105. [Link](#)
9. Shamsiah M. On the relationship between sexual satisfaction and marital commitment among couples in Shahreza City, Central part of Iran. *J Fundam Mental Health* 2009; 11(3):233-8. [Link](#)
10. Roshan Chesli R, Mirzaei S, Nikazin A. Validity and reliability of multidimensional sexual satisfaction scale for women (SSSW) in one sample of Iranian women. *Sci J Clin Psychol Person* 2014;2(10):129-40. [Link](#)
11. Taheriha H. The role of spiritual and mental health in predicting marital satisfaction. *Quart J Alborz Police Sci* 2016;4(12):71-90. [Link](#)
12. Rezaei MA, Seyedfatemi N, Hosseini FA. Spiritual well-being in cancer patients who undergo chemotherapy. *Hayat* 2009;14(4):33-9. [Link](#)
13. Salehi M, Hoseini Dronkolaei SZ, Alamian Gavzan S, Motevalian SF. Relationship between spiritual health with marital satisfaction. *J Babol Univ Med Sci* 2017;19(3):47-52. [Link](#)
14. Khodadadi Sangdeh J, Ahmadi K, Amoosti F. Identifying effective spiritual factors in healthy of military families: a qualitative research. *J Mil Caring Sci* 2015;2(3):134-42. [Link](#)
15. Torres EC, Alvarez-Dardet C, Ruiz-Muñoz D, Pérez G. Social determinants of sexual satisfaction in Spain considered from the gender perspective. *Ann Epidemiol* 2013;23(3):150-6. [PMID: 23317925](#)
16. Fathi S, Azadian A. The effect of demographic factors on marital satisfaction among 35 to 55 year old couples (Resident in 3rd and 20th district of Tehran). *Womens Strategic Stud* 2017;19(75):111-35. [Link](#)
17. Azadian O, Fathi S. The Study of homogeneity among couples in tehran and its impact on marital satisfaction. *Soc Women* 2017;7(Suppl):85-104. [Link](#)

بررسی رابطه بین سلامت معنوی و مشخصات دموگرافیک بر رضایت جنسی زنان مراجعه‌کننده به مراکز بهداشتی شهر قم

تاریخ ارسال: ۱۳۹۹/۰۴/۰۴؛ تاریخ پذیرش: ۱۳۹۹/۰۵/۲۵

فاطمه دهقانی^۱، مجید ضرغام حاجبی^{۲*}، ذبیح الله قارلی پور^۲

^۱ مرکز تحقیقات سلامت معنوی، دانشگاه علوم پزشکی قم، قم، ایران.

^۲ گروه روانشناسی، دانشگاه آزاد اسلامی واحد قم، قم، ایران.

^۳ گروه آموزش بهداشت، دانشکده بهداشت، دانشگاه علوم پزشکی قم، قم، ایران.

چکیده

سابقه و هدف: فعالیت جنسی یکی از اساسی‌ترین ابعاد در زندگی انسان بوده و یکی از شاخص‌های مهم رضایت‌مندی زوج از یکدیگر، رضایت جنسی می‌باشد. در حقیقت، رضایت جنسی یکی از مؤلفه‌های مهم و از جمله متغیرهای مهم در رضایت زناشویی است که نقش و اهمیت بسیار برجسته‌ای در تحکیم و ثبات خانواده دارد. از آنجایی که تاکنون پژوهشی در این زمینه صورت نگرفته است، بر آن شدیم تا مطالعه‌ای را با هدف بررسی رابطه بین سلامت معنوی و ویژگی‌های جمعیت‌شناختی با رضایت جنسی زنان مراجعه‌کننده به مراکز بهداشتی شهر قم انجام دهیم.

روش کار: مطالعه حاضر از نوع توصیفی-تحلیلی-مقطعی و همبستگی بود. نمونه آماری این پژوهش شامل کلیه زنان مراجعه‌کننده به مراکز بهداشتی شهر قم بود. نمونه‌گیری با استفاده از روش نمونه‌گیری چند مرحله‌ای انجام شد. از بین هشت منطقه، چهار منطقه (۱،۲،۴،۸) به روش قرعه‌کشی انتخاب شد و به روش تصادفی ساده از هر منطقه، دو مرکز بهداشت انتخاب گردید.

سیس با استفاده از فرمول حجم نمونه، ۳۲۰ نفر از زنان مراجعه‌کننده به مراکز بهداشتی انتخاب شدند. داده‌ها از طریق پرسشنامه‌های رضایت جنسی متسون و تراپنل و سلامت معنوی پولوتزین و الیسون تکمیل گردیدند. تجزیه و تحلیل داده‌ها در سطح آمار توصیفی (جداول فراوانی، درصد و میانگین) و آمار استنباطی با استفاده از آزمون‌های همبستگی Spearman, Pearson و رگرسیون چند گانه صورت گرفت.

یافته‌ها: یافته‌ها حاکی از آن هستند که همبستگی معنادار و مثبتی بین سلامت معنوی با رضایت جنسی وجود دارد ($P=0/01$, $P=0/511$). بین سلامت معنوی و رضایت جنسی نیز همبستگی مستقیمی وجود داشت و افرادی که از سلامت معنوی بیشتری برخوردار بودند، رضایت جنسی بالاتری داشتند.

از سوی دیگر بین سن و مدت ازدواج با رضایت جنسی، همبستگی معنادار و معکوسی مشاهده گردید ($P=0/01$)؛ بدین معنا که با افزایش سن و مدت زمان ازدواج، رضایت جنسی کاهش می‌یابد. شایان ذکر است که بین سطح تحصیلات با رضایت جنسی، همبستگی مستقیم و معناداری وجود دارد ($P=0/003$).

نتیجه‌گیری: با توجه به یافته‌های به دست آمده، سلامت معنوی را می‌توان به عنوان یکی از روش‌های مناسب جهت افزایش رضایت جنسی زنان دانست. در این راستا با آموزش زنان به صورت بسته و یا کلاس‌های آموزشی (حضوری و مجازی) شاید بتوان رضایت جنسی زنان را تا حدودی افزایش داد.

واژگان کلیدی: رفتار جنسی، زنان، سلامت معنوی، عملکرد جنسی، معنویت.

* نویسنده مسئول: مجید ضرغام حاجبی. ایمیل: zarghamhajebi@gmail.com