

() ()

(*Triticum aestivum* L.)

//

Archive of SID

() ()

(.)

(*Triticum turgidum*

(*Triticum aestivum* L.)

var. *durum* Desf)

()

(NUE)

%

(NUE)

1.Nitrogen Use Efficiency

E-mail: ssoufizadeh2004@yahoo.com

:

www.SID.ir

... :

() /
%

نام رقم	سال آزادسازی	تراکم مطلوب (بذر در متر مربع)	کود از ته مطلوب (کیلوگرم اوره در هکتار)
امید	۱۳۳۵	۳۰۰	۱۱۰
بزوستایا	۱۳۴۸	۴۱۰	۲۲۰
آزادی	۱۳۵۸	۳۲۵	۲۲۰
قدس	۱۳۶۸	۳۲۵	۲۲۰
الموت	۱۳۷۴	۳۶۵	۲۵۰
الوند	۱۳۷۴	۳۵۰	۲۵۰

()

(.)
=
=
=
=()*

(Avena fatua L.)

SAS

Excel

()

()

()

()

()

()


()

()

(%)	(%)	()	()	()	(%)	(/)	(/)
/	/	/	/	/	/	/	/
/ ns	/ ns	/ **	/ ns	/ ns	/ **	/ **	/ ns
/	/	/	/	/	/	/	/



: **

: ns




...

:



(/)	(/)	(/)
/	c		/	a		/	a	
/	e		/	a		/	a	
/	d		/	a		/	a	
/	a		/	a		/	a	
/	bc		/	a		/	a	
/	b		/	a		/	a	



Archiv

/ *	/ ns	/ **	/ *	/ ns
/ *	/ ns	/ ns	/ ns	
/ ns	/ *	/ ns		
/ *	/ ns			
/ ns				

...

:

* **

ns

()

()

()

()

()

()

()

()

()

()

()

()

()

)

(

REFERENCES

(*Avena ludoviciana* L.)

6. Austin, R. B., J. Bingham, R. D. Blackwell, L. T. Evans, M. A. Ford, C. L. Morgan, & M. Taylor. 1980. Genetic improvement in winter wheat yields since 1900 and associated physiological changes, *J. Agric. Sci.* 94:675-689.
7. Cox, M. C., C. O. Qualset, & D. W. Rains. 1985. Genetic variation for nitrogen assimilation and translocation in wheat: II. Nitrogen assimilation in relation to grain yield and maturation. *Agron. J.* 68:815-818.
8. Day, G. E., G. M. Paulsen, & R. G. Sears. 1985. Nitrogen relations in winter wheat cultivars differing in grain protein percentage and stature. *J. Plant Nutr.* 8:555.
9. Ehdaie, B., M. R. Shakiba, & T. J. Waines. 2001. Sowing date and nitrogen input influence nitrogen-use efficiency in spring bread and durum wheat genotypes. *J. Plant Nutr.* 24:899-919.
10. Feil, B. & G. Geisler. 1989. Uptake and distribution of nitrogen in old and new German summer wheats. *J. Agron. Crop Sci.* 162:49.
11. Guarda, G., S. Padovan, & G. Delogu. 2003. Grain yield, nitrogen-use efficiency and baking quality of old and modern Italian bread-wheat cultivars grown at different nitrogen levels, *Europ. J. Agron.* In press.
12. Heithold, J. J., L. I. Croy, N. O. Maness, & H. T. Nguyen. 1990. Nitrogen partitioning in genotypes of winter wheat differing in grain N concentration. *Field Crops Res.* 23:133.
13. Kibite, S. & L. E. Evans. 1984. Causes of negative correlations between grain yield and grain protein concentration in common wheat, *Euphytica* 33,801-810.
14. Loffer, C. M., T. L. Rauch, & R. H. Busch. 1985. Grain and plant protein relationships in hard red spring wheat. *Crop Sci.* 25:521.
15. Ortiz – Monasterio R., K. D. Sayre, S. Rajaram & M. McMahon. 1997. Genetic progress in wheat yield and nitrogen use efficiency under four nitrogen rates, *Crop Sci.* 37:898-904.

- ...
- :
16. Sinclair, T. R. 1998. Historical changes in harvest index and crop nitrogen accumulation, *Crop Sci.* 38:638-643.
 17. Sinebo, W., R. Gretzmacher, & A. Edelbauer. 2003. Genotypic variation for nitrogen use efficiency in Ethiopian barley, *Field Crops Res.*
 18. Slafer, G. A., F. H. Andrade, & S. E. Feingold. 1990. Genetic improvement of bread wheat (*Triticum aestivum* L.) in Argentina: Relationships between nitrogen and dry matter. *Euphytica.* 50:63.
 19. Tesar, M. B. 1984. *Physiology basis of crop growth and development*, American Society of Agronomy, Inc. and Crop Science society of Agronomy, Inc.
 20. Tollenaar, M. 1986. Genetic improvement in grain yield of commercial maize hybrids grown in Ontario from 1959 to 1988, *Crop Sci.* 29:1365-1371.
 21. Van Sanford, D. A. & C. T. Mackown. 1986. Variation in nitrogen use efficiency among soft red winter wheat genotypes, *Theor. Appl. Genet.* 72:158-163.

Archive of SID